

2003

Eval: A software package for analysis of genome annotations

Evan Keibler

Washington University in St Louis

Michael R. Brent

Washington University School of Medicine in St. Louis

Follow this and additional works at: https://digitalcommons.wustl.edu/open_access_pubs



Part of the [Medicine and Health Sciences Commons](#)

Please let us know how this document benefits you.

Recommended Citation

Keibler, Evan and Brent, Michael R., "Eval: A software package for analysis of genome annotations." *BMC Bioinformatics*. 4, 50. (2003).

https://digitalcommons.wustl.edu/open_access_pubs/136

This Open Access Publication is brought to you for free and open access by Digital Commons@Becker. It has been accepted for inclusion in Open Access Publications by an authorized administrator of Digital Commons@Becker. For more information, please contact vanam@wustl.edu.

Software

Open Access

Eval: A software package for analysis of genome annotations

Evan Keibler and Michael R Brent*

Address: Department of Computer Science and Engineering, Washington University, St. Louis, MO 63130, USA

Email: Evan Keibler - evan@cse.wustl.edu; Michael R Brent* - brent@cse.wustl.edu

* Corresponding author

Published: 17 October 2003

Received: 18 July 2003

BMC Bioinformatics 2003, 4:50

Accepted: 17 October 2003

This article is available from: <http://www.biomedcentral.com/1471-2105/4/50>

© 2003 Keibler and Brent; licensee BioMed Central Ltd. This is an Open Access article: verbatim copying and redistribution of this article are permitted in all media for any purpose, provided this notice is preserved along with the article's original URL.

Abstract

Summary: Eval is a flexible tool for analyzing the performance of gene annotation systems. It provides summaries and graphical distributions for many descriptive statistics about any set of annotations, regardless of their source. It also compares sets of predictions to standard annotations and to one another. Input is in the standard Gene Transfer Format (GTF). Eval can be run interactively or via the command line, in which case output options include easily parsable tab-delimited files.

Availability: To obtain the module package with documentation, go to <http://genes.cse.wustl.edu/> and follow links for Resources, then Software. Please contact brent@cse.wustl.edu

Introduction

Automated gene annotation systems are typically based on large, complex probability models with thousands of parameters. Changing these parameters can change a system's performance as measured by the accuracy with which it reproduces the exons and gene structures in a standard annotation. While traditional sensitivity and specificity measures convey the accuracy of gene predictions [1,2], more information is often required for gaining insight into *why* a system is performing well or poorly. A deep analysis requires considering many features of a prediction set and its relation to the standard set, such as the distribution of number of exons per gene, the distribution of predicted exon lengths, and accuracy as a function of GC percentage. Such statistics can reveal which parameter sets are working well and which need tuning. We are not aware of any publicly available software systems that have this functionality. We therefore developed the Eval system to support detailed analysis and comparison of the large data sets generated by automated gene annotation systems [e.g., [3]].

Features

Statistics

Eval can generate a wide range of statistics showing the similarities and differences between a standard annotation set and a prediction set. It reports traditional performance measures, such as gene sensitivity and specificity, as well as measures focusing on specific features, including initial, internal, and terminal exons, and splice donor and acceptor sites (see Table 1 for a sampling of these statistics; for a complete list of all calculated statistics see online documentation). These specific measures can show why an annotation system is performing well or poorly on the traditional measures. They can also reveal specific weaknesses or strengths of the system – for example, that it is good at predicting the boundaries of genes but has problems with exon/intron structure because it does poorly on splice donor sites. Eval can also compute statistics on a single set of gene annotations (either predictions or standard annotations). These statistics reveal the average characteristics of the genes, such as their coding and genomic lengths, exon and intron lengths, number of

Table 1: A sampling of the less common statistics calculated by Eval when comparing the output of TWINSCAN and GENSCAN on the "semi-artificial" gene set used in [1] to the gold standard annotation. Standard statistics such as gene and exon sensitivity and specificity are also calculated but are not shown.

Feature	Statistic	TWINSCAN	GENSCAN
Transcripts	Exons Per Transcript	6.46	5.93
	CDS Overlap Specificity	96.55%	70.59%
	CDS Overlap Sensitivity	87.64%	97.19%
	All Introns Matched Specificity	26.90%	8.60%
	All Introns Matched Sensitivity	21.91%	10.67%
	Start and Stop Codon Specificity	44.14%	17.65%
	Start and Stop Codon Sensitivity	35.96%	21.91%
Initial Exons	Overlap Specificity	70.16%	35.47%
	Overlap Sensitivity	77.54%	73.91%
Terminal Exons	5' Splice Specificity	74.36%	36.22%
	5' Splice Sensitivity	74.64%	71.01%
Introns	80% Overlap Specificity	73.11%	48.07%
	80% Overlap Sensitivity	80.19%	72.58%
Nucleotides	Correct Specificity	84.61%	64.76%
	Correct Sensitivity	84.26%	88.87%
Splice Acceptors	Correct Specificity	77.23%	52.69%
	Correct Sensitivity	84.90%	81.30%
Splice Donors	Correct Specificity	76.18%	53.02%
	Correct Sensitivity	84.63%	80.19%
Start Codons	Correct Specificity	61.97%	34.90%
	Correct Sensitivity	49.44%	37.64%
Stop Codons	Correct Specificity	82.22%	47.95%
	Correct Sensitivity	62.36%	58.99%

exons, and so on. This is useful when tuning the parameters of annotation systems for optimal performance.

Plots

Eval can also produce two types of plots. One type is a histogram showing the distribution of a statistic. Histograms are useful for determining whether the annotation system is producing specific types of genes and exons in the expected proportions. For example, suppose that the average number of exons per gene in an automated annotation is slightly below that of a standard annotation. Comparing the two distributions can reveal whether that difference is due to an insufficient fraction of predictions with extremely large exon counts or an insufficient fraction with slightly above-average exon counts (Fig. 1a). The other type of plot categorizes exons or genes by their length or GC content and shows the statistic for each category. For example, plotting transcript sensitivity as a function of transcript length might reveal that an annotation system is performing poorly on long genes but well on short ones (Fig. 1b). Further analysis would be needed to determine whether this effect is due to intron length or exon count.

Multi-way comparisons (Venn diagrams)

Eval can also determine the similarities and differences among multiple annotation sets. For example, it can build clusters of genes or exons which share some property, such as being identical to each other or overlapping each other. Building clusters of identical genes from two gene predictors and a standard annotation can show how similar the predictors are in their correctly and incorrectly predicted genes. For example, it could reveal that the two programs predict the same or completely separate sets of correct and incorrect genes. If they predict correct gene sets with a small intersection and incorrect gene sets with a large intersection then they could be combined to create a system which has both a higher sensitivity and specificity than either one alone. Table 2 shows a different example - clustering of identical exons from the aligned human RefSeq mRNAs, TWINSCAN [3,4] predictions, and GENSCAN [5] predictions.

Extraction of subsets

Eval can also extract subsets of genes that meet specific criteria for further analysis. Sets of genes that match another gene set by any of the following criteria can be selected: exact match, genomic overlap, CDS overlap, all introns match, one or more introns match, one or more exons match, start codon match, stop codon match, start and




Figure 1
 Panel A. Distributions of exons-per-gene for TWINSKAN [4] and GENSCAN [5] gene predictions and RefSeq mRNA sequences aligned to the genome. The plot reveals that, although TWINSKAN predicts too few genes in the 5–20 exon range, it predicts the right proportion of genes with more than 25 exons. Panel B. Fraction of RefSeq genes that TWINSKAN and GENSCAN predict exactly right, as a function of the genomic length of the RefSeq, excluding UTRs. Both figures were made in Excel by importing Eval output as tab-separated files. Data in both panes was generated using the NCBI34 version of the human genome and TWINSKAN 1.2.

Table 2: The results of building a Venn diagram based on exact exon matches among the aligned RefSeqs, TWINSKAN 1.2 predictions, and GENSCAN predictions, on the NCBI34 build of the human genome. All exons are first combined into clusters that have the same begin and end points. These clusters are then partitioned into the subset of exons annotated only by RefSeq (R), the subset annotated only by TWINSKAN (T), the subset annotated only by GENSCAN (G), the subset annotated by RefSeq and TWINSKAN but not GENSCAN (RT), etc. For each of these subsets, the table shows the number of clusters in the subset. It also shows the percentage all exons from each of the input sets that is included in that subset. The last column shows the fraction of all clusters included in that subset.

Subset in partition	Cluster Count	% of RefSeq exons	% of Twinscan exons	% of Genscan exons	% of all clusters
R	29,680	20.29%	0.00%	0.00%	7.21%
T	44,672	0.00%	22.04%	0.00%	10.84%
G	166,765	0.00%	0.00%	51.72%	40.48%
RT	15,141	10.55%	7.47%	0.00%	3.68%
RG	12,812	9.29%	0.00%	3.97%	3.11%
TG	57,795	0.00%	28.52%	17.92%	14.03%
RTG	85,069	59.88%	41.97%	26.38%	20.65%

stop codon match. Boolean combinations of these criteria can also be specified. For example, the set of RefSeq genes that are predicted correctly by System1 but not by System2 can be extracted from annotations of the entire human genome with just a few commands. Once extracted, gene sets can be inspected individually using standard visualization tools.

Implementation

Eval is written in Perl and uses the Tk Perl module for displaying its graphical user interface. It is intended to run on Linux based systems, although it also runs under Windows. It requires the gnuplot utility to display the graphs it produces, but it can create the graphs as text files without this utility. The package comes with both command line and graphical interface. The command line interface provides quick access to the functions, while the graphical

interface provides easier, more efficient access when running multiple analyses on the same data sets.

Annotations are submitted to Eval in GTF file format <http://genes.cse.wustl.edu/GTF2.html>, a community standard developed in the course of several collaborative genome annotations projects [6,7]. As such it can be run on the output of any annotation system. The Eval package contains a GTF validator which verifies correct GTF file format and identifies common syntactic and semantic errors in annotation files. It also contains Perl libraries for parsing, storing, accessing, and modifying GTF files and comparing sets of GTF files.

Although it is written in Perl, the Eval system runs relatively quickly. A standard Eval report comparing all TWINSKAN [3,4] genes predicted on the human genome to the aligned human RefSeqs processes ~40,000 transcripts and ~300,000 exons and completes in under five minutes on a machine with a 1.5 GHz Athlon processor and 2 GB of RAM.

Acknowledgments

This work was supported in part by grant DBI-0091270 from the National Science foundation to MRB and grant HG02278 from the National Institutes of Health to MRB.

References

1. Guigó R, Agarwal P, Abril JF, Burset M and Fickett JW: **An assessment of gene prediction accuracy in large DNA sequences.** *Genome Res* 2000, **10**:1631-1642.
2. Burset M and Guigo R: **Evaluation of gene structure prediction programs.** *Genomics* 1996, **34**:353-367.
3. Flicek P, Keibler E, Hu Ping, Korf Ian and Brent Michael R.: **Leveraging the mouse genome for gene prediction in human: From whole-genome shotgun reads to a global synteny map.** *Genome Res* 2003, **13**:46-54.
4. Korf I, Flicek P, Duan D and Brent MR: **Integrating genomic homology into gene structure prediction.** *Bioinformatics* 2001, **17 Suppl 1**:S140-8.
5. Burge C and Karlin S: **Prediction of complete gene structures in human genomic DNA.** *J Mol Biol* 1997, **268**:78-94.
6. Reese MG, Hartzell G, Harris NL, Ohler U, Abril JF and Lewis SE: **Genome annotation assessment in *Drosophila melanogaster*.** *Genome Res* 2000, **10**:483-501.
7. Mouse Genome Sequencing Consortium: **Initial sequencing and comparative analysis of the mouse genome.** *Nature* 2002, **420**:520-562.

Publish with **BioMed Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- yours — you keep the copyright

Submit your manuscript here:
http://www.biomedcentral.com/info/publishing_adv.asp

