

2008

The early protective innate immune response against West Nile virus

Stephane Daffis
Washington University School of Medicine in St. Louis

Melanie A. Samuel
Washington University School of Medicine in St. Louis

Mehul S. Suthar
University of Washington - Seattle Campus

Brian K. Keller
University of Washington - Seattle Campus

Michael Gale Jr
University of Washington - Seattle Campus

See next page for additional authors

Follow this and additional works at: https://digitalcommons.wustl.edu/open_access_pubs



Part of the [Medicine and Health Sciences Commons](#)

Please let us know how this document benefits you.

Recommended Citation

Daffis, Stephane; Samuel, Melanie A.; Suthar, Mehul S.; Keller, Brian K.; Gale, Michael Jr; and Diamond, Michael S., "The early protective innate immune response against West Nile virus." *BMC Proceedings*. 2, Suppl 1. S8. (2008).

https://digitalcommons.wustl.edu/open_access_pubs/249

This Open Access Publication is brought to you for free and open access by Digital Commons@Becker. It has been accepted for inclusion in Open Access Publications by an authorized administrator of Digital Commons@Becker. For more information, please contact vanam@wustl.edu.

Authors

Stephane Daffis, Melanie A. Samuel, Mehul S. Suthar, Brian K. Keller, Michael Gale Jr, and Michael S. Diamond

Oral presentation

Open Access

The early protective innate immune response against West Nile virus

Stephane Daffis¹, Melanie A Samuel¹, Mehul S Suthar², Brian K Keller², Michael Gale Jr² and Michael S Diamond*¹

Address: ¹Washington University School of Medicine, St Louis, MO, USA and ²University of Washington School of Medicine, Seattle, WA, USA

Email: Michael S Diamond* - diamond@borcim.wustl.edu

* Corresponding author

from Infectious diseases of the nervous system: pathogenesis and worldwide impact
Paris, France. 10–13 September 2008

Published: 23 September 2008

BMC Proceedings 2008, **2**(Suppl 1):S8

This abstract is available from: <http://www.biomedcentral.com/1753-6561/2/S1/S8>

© 2008 Daffis et al; licensee BioMed Central Ltd.

The type I interferon (IFN)- α/β response plays an essential role in controlling West Nile virus (WNV) tropism, replication and spread to the central nervous system (CNS) in mice. Induction of IFN- α/β relies on the detection of viruses by specific host factors known as pattern-recognition receptors. Central to this signaling pathway are the transcription factors interferon regulatory factors (IRF)-3 and IRF-7, which induce IFN- α/β gene expression. We used IRF-3^{-/-}, IRF-7^{-/-} and IRF-3^{-/-} × IRF-7^{-/-} mice to define how a deficiency of master innate immune response transcriptional factors impacts WNV pathogenesis and IFN signaling responses. Whereas WNV-infected wild type mice exhibited 35% mortality, mice lacking IRF-3 and/or IRF-7 had 100% mortality with enhanced viral burdens in peripheral and CNS organs, with altered tissue and cellular tropism. A deficiency in IRF-3 did not alter the systemic IFN response in vivo or IFN- α/β production ex vivo in immune cells. However, IRF-3 restricted WNV replication in macrophages by regulating basal expression of host defense molecules. Moreover, IRF-3 regulated WNV replication through IFN-dependent mechanisms in neurons. In contrast, an absence of IRF-7 abolished the systemic IFN production in mice and abrogated IFN- α responses in primary cells with little effect on IFN- β induction. Notably, a combined deficiency of IRF-3 and IRF-7 sustained enhanced WNV replication in vivo and in primary cells but did not completely abolish the IFN- β responses. These data show an essential role of IRF-3 and IRF-7 in the early control of WNV infection by regulating

not only IFN responses but also antiviral programs in a cell/tissue-specific manner.