

2018

# Behavior problems and personality in Korean high school students

Soo Jin Lee

*Kyungshung University*

Soo Hyun Park

*Yonsei University*

C. Robert Cloninger

*Washington University School of Medicine in St. Louis*

Han Chae

*Pusan National University*

Follow this and additional works at: [https://digitalcommons.wustl.edu/open\\_access\\_pubs](https://digitalcommons.wustl.edu/open_access_pubs)

---

## Recommended Citation

Lee, Soo Jin; Park, Soo Hyun; Cloninger, C. Robert; and Chae, Han, "Behavior problems and personality in Korean high school students." *PeerJ*, 6, 12. e6106. (2018).

[https://digitalcommons.wustl.edu/open\\_access\\_pubs/7416](https://digitalcommons.wustl.edu/open_access_pubs/7416)

This Open Access Publication is brought to you for free and open access by Digital Commons@Becker. It has been accepted for inclusion in Open Access Publications by an authorized administrator of Digital Commons@Becker. For more information, please contact [engeszer@wustl.edu](mailto:engeszer@wustl.edu).



# Behavior problems and personality in Korean high school students

Soo Jin Lee<sup>1</sup>, Soo Hyun Park<sup>2</sup>, C Robert Cloninger<sup>3</sup> and Han Chae<sup>4</sup>

<sup>1</sup> Department of Psychology, Kyungsung University, Busan, South Korea

<sup>2</sup> Department of Psychology, Yonsei University, Seoul, South Korea

<sup>3</sup> Department of Psychiatry, School of Medicine, Washington University in St. Louis, St. Louis, MO, United States of America

<sup>4</sup> School of Korean Medicine, Pusan National University, Busan, South Korea

## ABSTRACT

**Introduction.** Extant studies have examined the effect of psychological characteristics on clinical features that define behavior problems. The purpose of this study was to analyze the effects of temperament and character as both individual factors and complex profiles on behavior problems in a community sample of adolescents.

**Methods.** Behavior problems and personality of 670 Korean high school students were measured with the Youth Self-Report (YSR) and Junior version of the Temperament and Character Inventory (JTCI). Stepwise regression analysis analyzed the effects of JTCI character and temperament traits on YSR Total, Internalizing and Externalizing subscale scores, and Profile Analysis examined differences of JTCI personality profiles among three latent YSR subscale profiles acquired from Latent Profile Analysis.

**Results.** Seven subscales of the JTCI explained 38% of the YSR total degree of behavior problems, and JTCI Novelty-Seeking and Harm-Avoidance were found to account for vulnerability while JTCI Reward-Dependence and Self-Directedness explained resilience to behavior problems. There were three distinct latent YSR profile groups based on nine YSR subscales, and low behavior problem group showed a resilient personality profile characterized by low Novelty-Seeking and Harm-Avoidance and high Reward-Dependence, Persistence, Self-Directedness and Cooperativeness while high behavior problem group exhibited a vulnerable personality profile of the opposite tendency.

**Discussion.** Temperament and character explained behavior problems of Korean high school students as both individual personality traits and a complex personality profile. The results and implications of this study were examined in regard to mental health of adolescents, and the importance of education in the development of mature personality are discussed.

**Subjects** Pediatrics, Psychiatry and Psychology, Public Health

**Keywords** Temperament and character inventory, Behavior problem, Youth self-report, Latent profile analysis, Adolescents, Matured personality

## INTRODUCTION

Adolescence is a developmental period characterized by rapid growth of both body and mind, and establishment of psychological identity which may determine lifespan mental health through the process of interaction with society (*Klimstra et al., 2010*). And

Submitted 12 July 2018  
Accepted 14 November 2018  
Published 10 December 2018

Corresponding author  
Han Chae, han@chaelab.org

Academic editor  
Ada Zohar

Additional Information and  
Declarations can be found on  
page 16

DOI 10.7717/peerj.6106

© Copyright  
2018 Lee et al.

Distributed under  
Creative Commons CC-BY 4.0

OPEN ACCESS

adolescents are at particular risk of developing behavior problems resulting from daily life stress as they adjust themselves as members of society. The behavior problems of Korean adolescents experiencing academic stress and rapid sociocultural changes have been a major issue (Oh & Lee, 1990), and various studies attempting to delineate this phenomena were conducted (Kim, Lee & Chae, 2017; Lee et al., 2017b; Lee et al., 2013).

Behavior problems demonstrate typical clinical characteristics depending on gender, age and developmental stage, and such complex clinical spectrums need to be measured from a wide-band perspective rather than focusing on specific problems (Oh & Lee, 1990). The Achenbach System of Empirically Based Assessment (ASEBA) (Achenbach, 2009; Achenbach & Rescorla, 2001), which was developed by Achenbach and Edelbrock (Achenbach & Edelbrock, 1978), provides clinical assessment of behavior problems in diverse age groups using a dimensional approach to understand the cause and maintenance of behavior problems (Achenbach, 2009).

The ASEBA categorizes behavior problems into three groups, namely Internalizing Problems, Externalizing Problems and Total Problems (Achenbach, 2009). The Internalizing Problems of Anxious/Depressed, Withdrawn/Depressed and Somatic Complaints are deemed to result from excessive internal control of emotional problems, and are reported to occur more frequently in females (Nolen-Hoeksema & Girgus, 1994; Rutter, Caspi & Moffitt, 2003). The Externalizing Problems refer to Rule-Breaking and Aggressive Behavior sought to represent excessive expression of psychological difficulties, and has been shown to be more prevalent in males (Archer, 2004; Else-Quest et al., 2006). The Total Problems is the sum of Internalizing and Externalizing Problems along with Social Problems, Thought Problems, Attention Problems and Other Problems.

Several previous studies showed that specific psychological traits may be useful in effective screening and preventive intervention of particular behavior problems (Caprara et al., 2017; Cooper et al., 2003; De Pauw, Mervielde & Van Leeuwen, 2009; Hoyle, 2000). As for vulnerability and resilience, the Five Factor Model (Costa & MacCrae, 1992) suggested that Internalizing Problems are associated with low extraversion and high neuroticism, and that Externalizing Problems are related to high extraversion, low agreeableness, and low conscientiousness (Slobodskaya & Akhmetova, 2010).

However, since the Five Factor Model is based on factor analysis of psychological characteristics of an individual (Costa & MacCrae, 1992), it holds limitations in that only mixture of expressed traits are measured without distinguishing relatively hereditary and stable temperament traits from acquired and changeable character traits across the lifespan. We need a biopsychosocial measure of the temperament facets along with character aspects which may be influenced by the environment and learning (Lee et al., 2014) because it may provide the theoretical grounds for intervention aimed at prevention and treatment of behavior problems (Kim, Lee & Chae, 2017; Lee et al., 2017b; Lee et al., 2013).

The Temperament and Character Inventory (TCI), a personality assessment tool based on Cloninger's biopsychosocial personality model (Cloninger, 1987; Cloninger, Svrakic & Przybeck, 1993), consists of two domains measuring temperament and character, respectively, and explains the foundation and development of personality through their interaction.

Temperament, encompassing Novelty Seeking (NS), Harm Avoidance (HA), Reward Dependence (RD), and Persistence (PS), is an innate and biological foundation for character development based on the behavioral activation and inhibition system proposed by Gray (*Gray, 1982*) and the behavior maintenance system suggested by Sjöbring (*Sjöbring, 1973*). Character, comprised of Self-Directedness (SD), Cooperativeness (CO), and Self-Transcendence (ST), represents the value of the person regarding him/herself, society and universe, and is developed through interactions between the temperament and the environment (*Cloninger, 1987; Cloninger, Svrakic & Przybeck, 1993*).

Previous studies have reported correlations between personality traits and a wide spectrum of behavior problems using the ASEBA and Junior version of the TCI (JTICI). The HA temperament was shown to have a strong positive correlation with Internalizing Problems such as depression and anxiety (*Copeland et al., 2004; Hemphälä, Gustavsson & Tengström, 2013; Kim, 2013; Kim et al., 2006; Lim, Choi & Choi, 2013; Rettew et al., 2006*), while NS and RD temperaments (*Cloninger, Svrakic & Przybeck, 1993; Kim et al., 2006; Lim, Choi & Choi, 2013*) and SD character (*Copeland et al., 2004; Kim, 2013; Kim et al., 2006*) showed negative correlations with depression and anxiety. The NS temperament alone (*Copeland et al., 2004; Ha & Kwon, 2016; Hemphälä, Gustavsson & Tengström, 2013; Kim & Lee, 2016; Kim et al., 2006; Rettew et al., 2006*) or in association with HA (*Kim et al., 2006*) demonstrated a positive correlation with Externalizing Problems such as violence and rule-breaking, and the SD and CO characters (*Copeland et al., 2004; Kim et al., 2006*) showed a negative correlation.

However, the human personality is a complex adaptive system comprised of multiple dimensions interacting non-linearly, rather than a collection of individual components (*Cloninger, 2008*). Clinicians and researchers need a profile analysis providing person-centered perspectives appropriate for detecting such non-linear and complex dynamics of personality (*Cloninger & Cloninger, 2011; Cloninger & Zohar, 2011*), not only focusing on the average effects of separate traits in regard to vulnerability and resilience across groups of individuals (*Cloninger et al., 2012b*). Since healthy, resilient, and matured personality profile of adults was characterized by low HA and high SD and CO in previous studies (*Cloninger & Cloninger, 2011; Cloninger & Zohar, 2011; Eley et al., 2013; Eley et al., 2016*), this possibility must also be examined and confirmed in adolescents (*Moreira et al., 2014*).

For such reasons, we recruited a community sample of Korean adolescents, and analyzed the effects of temperament and character as both individual factors and complex profiles on behavior problems using the JTICI and Youth Self Report (YSR) (*Oh & Kim, 2011; Oh & Lee, 1990*). We used stepwise multiple regression to examine whether temperament and character traits explain behavior problem patterns, and also performed latent profile analysis (*Eley et al., 2016; Lee, Choi & Chae, 2017a*) to uncover personality profiles related to specific severity of behavior problems with consideration of gender (*Moreira et al., 2014; Oh & Lee, 1990; Pursell et al., 2008*) which has not been reported previously.

Adolescents are able to report their behavior problems, especially internalizing problems more reliably than primary caregivers and the development of their personality expands in this developmental period to play a pivotal role as a protective factor of psychological health in adulthood. Korean high school students who have relatively developed personalities and

who can complete validated self-report measures (*Sourander, Helstelä & Helenius, 1999; Verhulst & Ende, 1992*) would be fit for this study as such findings may be generalizable to preventive interventions in the future (*Roberts, Caspi & Moffitt, 2001*).

This study may contribute to person-centered research and theory related to the correlation between psychopathology and complex personality characteristics in line with previous studies of vulnerable and resilient personality factors (*Eley et al., 2016; Lee, Choi & Chae, 2017a; Moreira et al., 2014*) which showed the importance of nurturing matured personality for coping with daily life stress.

## METHODS AND MATERIALS

### Subjects

Korean high school students between the ages of 16 to 18 from the Daegu metropolitan area voluntarily participated in the present study as part of their extracurricular activity. Behavior problems and personality traits of 686 students were measured and data of 16 subjects were excluded due to incompleteness of questionnaires. Subsequently, a total of 670 participants were included in the study. This study was approved by the Internal Review Board (2014/11/26-001), and all participants provided written informed consent for this study.

### Youth Self-Report (YSR)

The adolescents' behavior problems were measured using the Korean version of the Youth Self Report (YSR) for ages 12–17 (*Oh & Kim, 2011*), a questionnaire including 118 items developed to measure the behavior problem in adolescents. YSR is originated from Achenbach System of Empirically Based Assessment (ASEBA) (*Achenbach, 2009; Achenbach & Rescorla, 2001*). Adolescents were recruited to rate the behavior problems for the past six months with a three-point Likert scale (0, not true at all; 1, somewhat or sometimes true; and 2, very true or often true). The Korean version of YSR was standardized and validated in 2011 and demonstrated good validity and reliability (*Oh & Kim, 2011*).

The YSR yields three subscales consisting of Total score, Internalizing Problems and Externalizing Problems, and eight clinically validated symptom clusters. Internalizing Problems has Anxious/Depressed, Withdrawn/Depressed, and Somatic Complaints and Externalizing Problems behavior has Rule-Breaking Behavior and Aggressive Behavior. The Total Problems is a sum of Internalizing Problems, Externalizing Problems, Social Problems, Thought Problems, Attention Problems and Other Problems. Total, Internalizing, Externalizing Problems and five empirically validated symptom clusters related to Internalizing and Externalizing Problems were analyzed in the present study. Cronbach's alphas for the Total, Internalizing, and Externalizing Problems were 0.78, 0.75, and 0.90, respectively, in the current study.

### Junior version of the Temperament and Character Inventory (JTCI)

Cloninger's Temperament and Character Inventory (TCI) consist of two-interrelated dimensions of temperament and character. Temperament traits depict biases in automatic responses to emotional stimuli including involuntary rational processes, while character

traits reflect differences in higher cognitive functions related to values, goals, and relationships of a person (Cloninger, 2008; Cloninger, Svrakic & Przybeck, 1993).

The temperament dimension includes Novelty Seeking (NS, characterized by exploratory excitability, extravagance, disorderliness, and impulsiveness) associated with exploratory excitability in response to novel stimuli, Harm Avoidance (HA, anticipatory worry, shyness with strangers, fear of uncertainty, and fatigability) related with behavioral inhibition in response to dangerous or abhorrent stimuli, Reward Dependence (RD, attachment, sentimentality, openness, and dependence) referring to the tendency to respond particularly to signals of social reward, and Persistence (PS, eagerness, ambition, work-hardened, and perfectionism) representing a tendency to maintain behavior in spite of intermittent reinforcement (Chae et al., 2014).

The character dimension is comprised of Self-Directedness (SD, characterized by purposeful, responsible, resourceful, and self-accepting) indicating the tendency to identify the self as an autonomous individual, Cooperativeness (CO, empathic, helpful, forgiving, and tolerant) measuring the degree to which one considers the self as integral to humanity, and Self-Transcendence (ST, contemplating, idealistic, spiritual, and transpersonal) denoting the degree to which one considers the self as an integral part of the universe as a whole (Cloninger, 2008; Cloninger, Svrakic & Przybeck, 1993).

The Korean version of the Junior Temperament and Character Inventory (JTCI) is an 82-item self-report questionnaire for middle and high school students (ages 13 to 18), and asks individuals to score each item on a 4-point scale (0, not at all to 3, very true). It was standardized with acceptable validity and reliability in 2007. The internal consistencies of NS, HA, RD, PS, SD, CO, and ST were reported as 0.76, 0.81, 0.67, 0.67, 0.74, 0.71, and 0.66, respectively (Min, Oh & Lee, 2007).

### Statistical analysis

The significance of gender difference was examined using chi-square analysis for grade and *t*-tests for subscales of the JTCI and YSR. Pearson correlation analysis was used to examine the relationship between subscales of JTCI and YSR in male and female students.

Multiple stepwise regression analyses were conducted to examine the degree to which personality traits explained subscales of the YSR. First, age and gender were introduced (model 1), and then the seven JTCI subscale measure scores were added as the final model (model 2). The inclusion criterion for entering factors in the model was *p* value less than 0.05 associated with the *F*-statistic.

The Latent Profile Analysis (LPA) was employed to explore the latent groups of behavior problems and personality in this study (Eley et al., 2016; Muthén & Muthén, 2005). The LPA is an empirically driven model extracting hidden groups of individuals based on similar characteristics from observed continuous variables (e.g., nine subscales of YSR), and it estimates the probability of a particular observation falling into a specific class (Lanza, Flaherty & Collins, 2003). The number of classes is determined through comparison of posterior fit statistics: models are estimated with classes added repeatedly to determine which model is the best fit to the data until the addition no longer produces a significant

improvement in model fit statistics. Gender was introduced as a covariate in LPA due to the gender difference in the current study.

The criteria of model fit in LPA were as follows (Nylund, Asparouhov & Muthen, 2007): (1) the smaller Bayesian Information Criterion (BIC) and adjusted BIC, the better the model is; (2) the smaller  $p$  value of Vuong-Lo-Mendell-Rubin Likelihood Difference Test (VLMR) or Lo-Mendell-Rubin Likelihood Difference Test (LMR), the better the model is; and (3) Entropy index was used to examine the distinctiveness of latent classes identified, assuming higher than 0.8 as good (Muthén, 2004).

After determining the number of latent classes in behavior problems, Analysis of Covariance (ANCOVA) and Profile Analysis were conducted with the nine YSR subscales and seven JTICI factors to elucidate significant differences among extracted latent groups from the LPA. We applied Bonferroni or Dunnett's T3 for the post-hoc analysis depending on the results of Levene's Homogeneity test with gender as the covariate, and the estimated value of subscales of the YSR and JTICI were also calculated with gender as a covariate. As for the Profile Analysis, flatness and parallelism were calculated, and Greenhouse-Geiser correction was incorporated when Mauchly's sphericity test was significant.

The data are presented as means with standard deviations or frequencies with percentages. All analysis were performed using IBM SPSS Statistics 20.0 (IBM, Armonk, NY) and MPlus 5.21 (Muthen & Muthen, Los Angeles, CA) (Muthén & Muthén, 2005) and  $p$  values of 0.05, 0.01, and 0.001 were employed for significance.

## RESULTS

### Demographic features of the participants

The demographic characteristics of participants in this study are presented in Table 1. There were significant differences between male and female adolescents in regard to grade in high school ( $\chi^2 = 11.127, p < 0.004$ ). As for the subscales of the JTICI, female students showed significantly higher RD, CO and ST scores than male students. As for the subscales of the YSR, female students demonstrated higher Internalizing Problems, Anxious/Depressed, and Somatic Complaints scores than male students, while male students reported higher Externalizing Problems and Rule-Breaking Behavior scores than female students.

### Correlation between subscales of the YSR and JTICI, and stepwise regression analysis for Total, Internalizing and Externalizing Problems with personality traits

The correlation coefficients between subscales of the YSR and JTICI were presented in Tables 2 through 4. NS and HA were positively correlated with Total Problems, Internalizing Problems and Externalizing Problems, while RD and PS were negatively correlated with the YSR subscales. As for the character dimension, SD and CO showed significant negative correlations with Total Problems, Internalizing Problems and Externalizing Problems while ST did not. This trend appeared in both males and females (Tables 3 & 4), respectively, except that HA did not show any significant association with Externalizing Problems in males (Table 3).

**Table 1** Demographic characteristics of participants.

| N     |                           | Male<br>365   | Female<br>305 | Total         |                              |
|-------|---------------------------|---------------|---------------|---------------|------------------------------|
| Grade | Sophomore                 | 128           | 115           | 243           | $\chi^2 = 11.127, p = 0.004$ |
|       | Junior                    | 116           | 123           | 239           |                              |
|       | Senior                    | 121           | 67            | 188           |                              |
| JTICI | NS                        | 20.08 ± 5.77  | 20.54 ± 5.66  | 20.29 ± 5.72  | $t = -1.043, p = 0.297$      |
|       | HA                        | 21.94 ± 6.77  | 22.61 ± 6.78  | 22.25 ± 6.78  | $t = -1.287, p = 0.198$      |
|       | RD***                     | 15.31 ± 4.02  | 17.85 ± 4.06  | 16.46 ± 4.23  | $t = -8.108, p < 0.001$      |
|       | PS                        | 13.48 ± 3.43  | 13.69 ± 3.29  | 13.57 ± 3.37  | $t = -0.829, p = 0.408$      |
|       | SD                        | 21.99 ± 5.8   | 21.32 ± 5.99  | 21.69 ± 5.89  | $t = 1.468, p = 0.142$       |
|       | CO**                      | 25.95 ± 5.3   | 27.12 ± 4.98  | 26.48 ± 5.19  | $t = -2.929, p = 0.004$      |
|       | ST***                     | 16.17 ± 4.81  | 17.81 ± 4.63  | 17.81 ± 4.63  | $t = -4.457, p < 0.001$      |
| YSR   | Total Problems            | 40.73 ± 24.45 | 40.09 ± 21.44 | 40.44 ± 23.11 | $t = 0.363, p = 0.717$       |
|       | Internalizing Problems*   | 11.22 ± 8.78  | 12.91 ± 8.68  | 11.99 ± 8.77  | $t = -2.497, p = 0.013$      |
|       | Externalizing Problems*** | 10.56 ± 7.63  | 8.67 ± 5.76   | 9.7 ± 6.9     | $t = 3.666, p < 0.001$       |
|       | Anxious/Depressed**       | 5.34 ± 4.36   | 6.38 ± 4.19   | 5.82 ± 4.31   | $t = -3.134, p = 0.002$      |
|       | Withdrawn/Depressed*      | 3.68 ± 3.29   | 3.22 ± 2.78   | 3.47 ± 3.08   | $t = 1.961, p = 0.05$        |
|       | Somatic Complaints***     | 2.2 ± 2.6     | 3.31 ± 3.3    | 2.71 ± 2.99   | $t = -4.776, p < 0.001$      |
|       | Rule-Breaking Behavior*** | 3.71 ± 3.37   | 2.09 ± 2.21   | 2.97 ± 3.01   | $t = 7.469, p < 0.001$       |
|       | Aggressive Behaviors      | 6.85 ± 4.88   | 6.58 ± 4.19   | 6.73 ± 4.57   | $t = 0.793, p = 0.428$       |
|       | Social Problems           | 3.97 ± 3.49   | 3.82 ± 2.89   | 3.9 ± 3.23    | $t = 0.612, p = 0.541$       |
|       | Thought Problems          | 4.22 ± 3.3    | 3.83 ± 2.77   | 4.04 ± 3.07   | $t = 1.674, p = 0.095$       |
|       | Attention Problems        | 6.44 ± 3.61   | 6.56 ± 3.3    | 6.5 ± 3.47    | $t = -0.444, p = 0.657$      |
|       | Other Problems            | 4.32 ± 2.63   | 4.3 ± 2.55    | 4.31 ± 2.59   | $t = 0.067, p = 0.947$       |

**Notes.**\* $p < 0.05$ .\*\* $p < 0.01$ .\*\*\* $p < 0.001$ .

JTICI, Junior Temperament and Character Inventory; YSR, Youth Self-Report; NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Cooperativeness; ST, Self-Transcendence.

Stepwise regression analyses were performed to further analyze the effects of personality traits on Total, Internalizing and Externalizing Problems. Table 5 represents the results of the full model after gender, school year and all seven personality traits of the JTICI were included in the analysis.

As for the Total Problem, 38% of the variance was explained by the regression model. High NS and high HA were risk factors for Total Problems and high SD and high RD were protective factors for overall behavior problems. Gender showed a contrasting effect on Internalizing and Externalizing Problems, and Internalizing Problems score was higher in female students while Externalizing Problems score was higher in male high school students.

In regard to the Internalizing Problems, the regression model accounted for 37.9% of the variance. High NS, high HA, high ST and the female gender were risk factors for Internalizing Problems, while high SD and high RD were protective factors. The regression model explained 34.5% of the variance in predicting Externalizing Problems. High NS and

**Table 2** Correlation coefficients between subscales of the Youth Self-Report and Junior Temperament and Character Inventory.

|                        | Junior Temperament and Character Inventory |               |                |                |                |         |         |
|------------------------|--|---------------|----------------|----------------|----------------|---------|---------|
|                        | NS   | HA            | RD             | PS             | SD             | CO      | ST      |
| Youth Self Report      |  |               |                |                |                |         |         |
| Total Problems         | .353**                                     | <b>.411**</b> | -.242**        | -.366**        | <b>-.465**</b> | -.336** | .008    |
| Internalizing Problems | .127**                                     | <b>.525**</b> | -.268**        | -.271**        | <b>-.469**</b> | -.232** | .024    |
| Externalizing Problems | <b>.497**</b>                              | .132**        | -.166**        | -.323**        | -.266**        | -.396** | -.074   |
| Anxious/Depressed      | .134**                                     | <b>.546**</b> | -.118**        | -.221**        | <b>-.482**</b> | -.173** | .076*   |
| Withdrawn/Depressed    | -.009                                      | <b>.510**</b> | <b>-.473**</b> | -.291**        | <b>-.440**</b> | -.252** | -.058   |
| Somatic Complaints     | .189**                                     | .227**        | -.129**        | -.178**        | -.228**        | -.171** | .019    |
| Rule-Breaking Behavior | .359**                                     | .011          | -.193**        | -.285**        | -.136**        | -.315** | -.134** |
| Aggressive Behavior    | <b>.513**</b>                              | .192**        | -.123**        | -.300**        | -.313**        | -.391** | -.023   |
| Social Problems        | .232**                                     | .370**        | -.229**        | -.306**        | <b>-.443**</b> | -.305** | -.022   |
| Thought Problems       | .232**                                     | .314**        | -.222**        | -.232**        | -.312**        | -.239** | .060    |
| Attention Problems     | .332**                                     | <b>.416**</b> | -.145**        | <b>-.455**</b> | <b>-.531**</b> | -.224** | .062    |
| Other Problems         | .386**                                     | .148**        | -.066          | -.218**        | -.221**        | -.192** | .056    |

**Notes.**\* $p < 0.05$ .\*\* $p < 0.01$ .\*\*\* $p < 0.001$ .

Bold represents correlation coefficient greater than 0.4.

NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Cooperativeness; ST, Self-Transcendence.

**Table 3** Correlation coefficients between subscales of the Youth Self-Report and Junior Temperament and Character Inventory in male students ( $n = 365$ ).

|                        | Junior Temperament and Character Inventory |               |                |                |                |         |        |
|------------------------|--|---------------|----------------|----------------|----------------|---------|--------|
|                        | NS   | HA            | RD             | PS             | SD             | CO      | ST     |
| Youth Self Report      |  |               |                |                |                |         |        |
| Total Problems         | .339**                                     | .388**        | -.271**        | -.336**        | <b>-.429**</b> | -.355** | .012   |
| Internalizing Problems | .075                                       | <b>.524**</b> | -.348**        | -.248**        | <b>-.449**</b> | -.268** | .025   |
| Externalizing Problems | <b>.510**</b>                              | .091          | -.126*         | -.297**        | -.220**        | -.378** | -.036  |
| Anxious/Depressed      | .106*                                      | <b>.535**</b> | -.202**        | -.187**        | <b>-.473**</b> | -.235** | .069   |
| Withdrawn/Depressed    | -.063                                      | <b>.520**</b> | <b>-.498**</b> | -.264**        | <b>-.416**</b> | -.243** | -.022  |
| Somatic Complaints     | .154**                                     | .214**        | -.206**        | -.190**        | -.197**        | -.203** | -.005  |
| Rule-Breaking Behavior | .226**                                     | .350**        | -.265**        | -.279**        | <b>-.429**</b> | -.338** | -.032  |
| Aggressive Behavior    | .216**                                     | .306**        | -.222**        | -.207**        | -.301**        | -.222** | .074   |
| Social Problems        | .338**                                     | <b>.410**</b> | -.178**        | <b>-.424**</b> | <b>-.493**</b> | -.250** | .043   |
| Thought Problems       | .383**                                     | .009          | -.141**        | -.309**        | -.131*         | -.318** | -.116* |
| Attention Problems     | <b>.533**</b>                              | .136**        | -.099          | -.251**        | -.253**        | -.371** | .023   |
| Other Problems         | .388**                                     | .186**        | -.118*         | -.222**        | -.229**        | -.238** | .028   |

**Notes.**

NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Cooperativeness; ST, Self-Transcendence.

Bold represents correlation coefficient greater than 0.4.

**Table 4** Correlation coefficients between subscales of the Youth Self-Report and Junior Temperament and Character Inventory in female students ( $n = 305$ ).

|                        | Junior Temperament and Character Inventory |               |                |                |                |                |       |
|------------------------|--|---------------|----------------|----------------|----------------|----------------|-------|
|                        | NS   | HA            | RD             | PS             | SD             | CO             | ST    |
| Youth Self Report      |  |               |                |                |                |                |       |
| Total Problems         | .376**                                     | <b>.447**</b> | -.222**        | <b>-.408**</b> | <b>-.521**</b> | -.310**        | .007  |
| Internalizing Problems | .184**                                     | <b>.522**</b> | -.270**        | -.311**        | <b>-.487**</b> | -.216**        | -.014 |
| Externalizing Problems | <b>.514**</b>                              | .222**        | -.146*         | -.368**        | -.374**        | <b>-.408**</b> | -.077 |
| Anxious/Depressed      | .160**                                     | <b>.557**</b> | -.114*         | -.278**        | <b>-.489**</b> | -.129*         | .042  |
| Withdrawn/Depressed    | .076                                       | <b>.515**</b> | <b>-.445**</b> | -.329**        | -.493**        | -.251**        | -.081 |
| Somatic Complaints     | .219**                                     | .233**        | -.191**        | -.188**        | -.246**        | -.194**        | -.022 |
| Rule-Breaking Behavior | .247**                                     | <b>.407**</b> | -.188**        | -.348**        | -.473**        | -.254**        | .004  |
| Aggressive Behavior    | .266**                                     | .339**        | -.203**        | -.268**        | -.343**        | -.252**        | .069  |
| Social Problems        | .324**                                     | <b>.425**</b> | -.132*         | <b>-.499**</b> | <b>-.582**</b> | -.196**        | .083  |
| Thought Problems       | <b>.407**</b>                              | .056          | -.097          | -.257**        | -.212**        | -.269**        | -.054 |
| Attention Problems     | <b>.492**</b>                              | .275**        | -.150**        | -.371**        | -.402**        | <b>-.419**</b> | -.078 |
| Other Problems         | .386**                                     | .101          | -.009          | -.212**        | -.212**        | -.134*         | .094  |

**Notes.**

NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Cooperativeness; ST, Self-Transcendence.

Bold represents correlation coefficient greater than 0.4.

the male gender were risk factors for Externalizing Problems, while high SD and high CO were protective factors.

### Latent profiles analysis with nine YSR subscale scores

Latent profile analysis identified three latent behavior problem groups as the best solution (Table 6) after controlling the effect of gender, and YSR subscale scores of three (high, middle, and low) latent groups were presented in Fig. 1. The three-latent group model (3-class solution) fit the current data significantly better than a 2-class solution, and was not worse than a 4-class solution considering the smaller BIC and adjusted BIC, the smaller  $p$  value of VLMR and LMR and the greater entropy. All nine YSR subscale scores of the high, middle, and low behavior problem groups in current study exhibited a decreasing order as shown in Fig. 1. The number of participants of the high, middle, and low groups in regard to behavior problems were 70, 235, and 365, respectively.

### Differences of YSR and JTCI subscales among three latent behavior problem groups using profile analysis and ANCOVA

The significant differences in the YSR subscale profile among the three latent behavior problem groups were analyzed with profile analysis (Fig. 1), and there were significant differences between the three behavior problem groups. The YSR subscales of the three behavior problem groups were not flat (Greenhouse-Geisser correction,  $df = 6.078$ ,  $F = 45.931$ ,  $p < 0.001$ ), and the interaction of three groups was significantly different in regard to parallelism (Greenhouse-Geisser correction,  $df = 12.156$ ,  $F = 30.149$ ,  $p < 0.001$ ). There were significant differences in nine YSR subscales of Anxious/Depressed ( $F = 533.559$ ,  $p < 0.001$ ), Withdrawn/Depressed ( $F = 283.200$ ,  $p < 0.001$ ), Somatic

**Table 5** Stepwise regression with seven Junior Temperament and Character Inventory subscales and demographic variables.

|   | Unstandardized<br>Coefficients<br><i>B</i> | Standardized<br>Coefficients<br>$\beta$ | <i>t</i> | <i>p</i> -value |
|---|--|---|----------|-----------------|
| Total Problems  |  |   |          |                 |
| SD <sup>***</sup>                                       | -0.754                                     | -0.192                                  | -4.730   | <0.001          |
| NS <sup>***</sup>                                       | 1.435                                      | 0.355                                   | 11.173   | <0.001          |
| HA <sup>***</sup>                                       | 1.008                                      | 0.295                                   | 7.450    | <0.001          |
| RD <sup>***</sup>                                       | -0.997                                     | -0.182                                  | -5.829   | <0.001          |
| $R^2(\text{adj.}R^2) = 0.38(0.377), F = 102.02, p < 0$  |  |   |          |                 |
| Internalizing Problems                                  |  |   |          |                 |
| Gender <sup>***</sup>                                   | 2.191                                      | 0.124                                   | 3.833    | <0.001          |
| HA <sup>***</sup>                                       | 0.519                                      | 0.401                                   | 9.987    | <0.001          |
| RD <sup>***</sup>                                       | -0.515                                     | -0.248                                  | -7.306   | <0.001          |
| NS <sup>***</sup>                                       | 0.213                                      | 0.139                                   | 4.347    | <0.001          |
| SD <sup>***</sup>                                       | -0.225                                     | -0.151                                  | -3.673   | <0.001          |
| ST <sup>***</sup>                                       | 0.128                                      | 0.070                                   | 2.154    | 0.032           |
| $R^2(\text{adj.}R^2) = 0.379(0.374), F = 67.499, p < 0$ |  |   |          |                 |
| Externalizing Problems                                  |  |   |          |                 |
| Gender <sup>***</sup>                                   | -1.927                                     | -0.139                                  | -4.371   | <0.001          |
| NS <sup>***</sup>                                       | 0.501                                      | 0.416                                   | 12.512   | <0.001          |
| CO <sup>***</sup>                                       | -0.271                                     | -0.203                                  | -5.820   | <0.001          |
| SD <sup>***</sup>                                       | -0.170                                     | -0.145                                  | -4.340   | <0.001          |
| $R^2(\text{adj.}R^2) = 0.345(0.341), F = 87.425, p < 0$ |  |   |          |                 |

**Notes.**\* $p < 0.05$ .\*\* $p < 0.01$ .\*\*\* $p < 0.001$ .


NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Co-operativeness; ST, Self-Transcendence.

**Table 6** Results of Latent Profile Analysis with gender as covariate.

|         | BIC       | adj.BIC   | VLMRp   | LMRp    | BLRTp   | Entropy |
|---------|-----------|-----------|---------|---------|---------|---------|
| 2 class | 29616.64  | 29524.563 | <0.0001 | <0.0001 | <0.0001 | 0.9300  |
| 3 class | 28979.392 | 28855.564 | 0.0446  | 0.0460  | <0.0001 | 0.8860  |
| 4 class | 28741.791 | 28586.212 | 0.3298  | 0.3336  | <0.0001 | 0.8920  |
| 5 class | 28636.385 | 28449.056 | 0.3245  | 0.3273  | <0.0001 | 0.8880  |

**Notes.**BIC, Bayesian Information Criteria; adj.BIC, Sample-Size Adjusted BIC; VLMRp, Vuong-Lo-Mendell-Rubin Likelihood Ratio test *p*-value; LMRp, Lo-Mendell-Rubin Adjusted LRT *p*-value; BLRTp, Parametric Bootstrapped Likelihood Ratio *p*-value.

Complaints ( $F = 182.751, p < 0.001$ ), Social Problems ( $F = 577.616, p < 0.001$ ), Thought Problems ( $F = 523.450, p < 0.001$ ), Attention Problems ( $F = 259.036, p < 0.001$ ), Rule-Breaking Behavior ( $F = 184.601, p < 0.001$ ), Aggressive Behavior ( $F = 307.468, p < 0.001$ ) and Other Problems ( $F = 186.481, p < 0.001$ ) based on ANCOVA results. Nine YSR



**Figure 1** Estimated nine YSR subscale scores of high, middle, and low behavior problem groups. The Youth Self-Report (YSR) subscale profiles of the high, middle and low behavior problem groups were significantly different (flatness with Greenhouse-Geisser correction,  $df = 6.078$ ,  $F = 45.931$ ,  $p < 0.001$ ; parallelism with Greenhouse-Geisser correction,  $df = 12.156$ ,  $F = 30.149$ ,  $p < 0.001$ ). Nine YSR subscales of the three behavior problem groups were significantly different from each other using ANCOVA with gender as the covariate. The estimated value of nine YSR raw scores was calculated with gender as the covariate and used as Y-axis. Data are shown as estimated means and standard errors.

Full-size [DOI: 10.7717/peerj.6106/fig-1](https://doi.org/10.7717/peerj.6106/fig-1)


subscale scores of the three behavior problem groups were significantly different from each other as shown in Fig. 1.

The significant differences on the JTCI subscale profile among the three behavior problem groups were analyzed with profile analysis (Fig. 2), and there were significant differences between three latent groups. The JTCI personality profile of the three behavior problem groups was not flat (Greenhouse-Geisser correction,  $df = 3.949$ ,  $F = 71.200$ ,  $p < 0.001$ ), and the interaction of three groups was significantly different in regard to parallelism (Greenhouse-Geisser correction,  $df = 7.897$ ,  $F = 52.974$ ,  $p = 0.001$ ). There were significant differences in the six JTCI subscales of NS ( $F = 29.334$ ,  $p < 0.001$ ), HA ( $F = 73.850$ ,  $p < 0.001$ ), RD ( $F = 17.135$ ,  $p < 0.001$ ), PS ( $F = 43.357$ ,  $p < 0.001$ ), SD ( $F = 89.575$ ,  $p < 0.001$ ) and CO ( $F = 28.356$ ,  $p < 0.001$ ), but not ST ( $F = 1.048$ ,  $p = 0.351$ ). High, middle, and low latent groups of NS, HA were in decreasing order, while those of RD, PS, SD and CO were in increasing order with significant differences as shown in Fig. 2.

## DISCUSSION

This study recruited 670 Korean high school students, and measured behavior problems and personality characteristics with the YSR and JTCI to investigate which personality traits and profiles explain behavior problems in adolescents.

Demographic characteristics showed significant differences in the YSR and JTCI subscale scores between male and female high school students (Table 1). As for behavioral



**Figure 2** Estimated Junior Temperament and Character Inventory subscale scores of high, middle, and low behavior problem groups. The JTCI subscale profiles of the high, middle and low behavior problem groups were significantly different (flatness with Greenhouse-Geisser correction,  $df = 3.949$ ,  $F = 71.200$ ,  $p < 0.001$ ; parallelism with Greenhouse-Geisser correction,  $df = 7.897$ ,  $F = 52.974$ ,  $p = 0.001$ ). The JTCI subscales, excluding ST, of the three behavior problem groups were significantly different from each other using ANCOVA with gender as the covariate. The estimated value of six JTCI raw scores was calculated with gender as the covariate and used as Y-axis. Data are shown as estimated means and standard errors. NS, Novelty-Seeking; HA, Harm-Avoidance; RD, Reward-Dependence; PS, Persistence; SD, Self-Directedness; CO, Cooperativeness; ST, Self-Transcendence.

Full-size [DOI: 10.7717/peerj.6106/fig-2](https://doi.org/10.7717/peerj.6106/fig-2)

problems, female students showed higher scores on Internalizing Problems including Anxious/Depressed and Withdrawn/Depressed, and male students evidenced higher scores in Externalizing Problems such as Rule-Breaking Behavior (Table 1) which is consistent with results of previous study (Oh & Lee, 1990). Gender was found to account for the type of behavior problem (Table 5) such that the male gender explained Externalizing Problems and the female gender delineated Internalizing Problems. As for personality traits, females exhibited higher RD, CO and ST scores compared to male students, which are consistent with previous studies (Lee, Choi & Chae, 2017a; Lee et al., 2014; Zohar et al., 2018).

The effects of temperament and character traits on YSR Total, Internalizing and Externalizing Problems were analyzed with stepwise regression analysis (Table 5). As for the JTCI temperament domain with a biological basis, NS and HA were risk factors and RD was a protective factor for YSR Total and Internalizing Problems, and NS was a risk factor for YSR Externalizing Problems. These results are in accordance with previous studies which showed that high HA and low RD is associated with Total and Internalizing Problems (Copeland et al., 2004; Hemphälä, Gustavsson & Tengström, 2013; Kim, 2013; Kim et al., 2006; Lim, Choi & Choi, 2013; Rettew et al., 2006) and high NS is related to Externalizing Problems (Copeland et al., 2004; Ha & Kwon, 2016; Hemphälä, Gustavsson & Tengström, 2013; Kim & Lee, 2016; Kim et al., 2006; Rettew et al., 2006).

Although NS significantly explained Internalizing Problems unlike previous studies, considering that NS and Internalizing Problems showed a negative correlation after controlling for Externalizing Problems using partial correlation analysis, this result may have stemmed from comorbid Internalizing and Externalizing Problems. It was reported that high NS shows a relation with development of delinquent behavior and antisocial personality (*Schmeck & Poustka, 2001*), and NS was the best predictor of highly delinquent behavior (*Tremblay et al., 1994*). In other words, such results are similar to a study examining social anxiety disorder in an outpatient sample (*Kashdan & Hofmann, 2008*) indicating the need for a more careful interpretation in regard to comorbidity of adolescent behavior problems.

As for the JTCI character domain, high SD may be a protective factor for YSR Total, Internalizing and Externalizing Problems along and high CO for YSR Externalizing Problems in adolescents. This result is consistent with previous studies (*Cloninger, Svrakic & Przybeck, 1993; Copeland et al., 2004; Hemphälä, Gustavsson & Tengström, 2013; Kim, 2013; Kim et al., 2006; Lim, Choi & Choi, 2013; Rettew et al., 2006*) which reported that high SD and high CO explains resilience to behavior problems. The JTCI RD and CO might be crucial factors in determining the expression and progression of behavior problems considering its theoretical correlation with agreeableness and protective effects of agreeableness in Externalizing Problems (*Laursen & Richmond, 2013; Slobodskaya & Akhmetova, 2010*). In summarizing the relationship between behavior problems and personality traits, we can conclude that high HA, high NS and low RD of temperament domain and low SD and low CO of character domain may be a particular vulnerability factor for adolescent behavior problems.

Behavior problems in real life evolve through complex interactions between diverse factors, rather than through several problematic symptoms individually influenced by one or two personality traits. Therefore, the personality characteristics of an individual must be analyzed as a multi-dimensional and complex system using person-centered Latent Profile Analysis (LPA). The diagnosis, treatment, and prevention of behavior problems should be practiced with this whole-person perspective in mind as suggested previously (*Eley et al., 2016; Lee, Choi & Chae, 2017a*).

We performed LPA analysis on nine subscales of the YSR to extract distinctive latent profile groups (*Table 6*), and found three latent groups consisting of high, middle, and low behavior problem groups. These three behavior problem groups were distinctively and significantly different from each other in regard to YSR behavior problem profiles and also the nine YSR subscale scores (*Fig. 1*). There also were significant differences among the three behavior problem groups in regard to JTCI personality profiles and also the JTCI subscales scores with the exception of ST (*Fig. 2*).

These results provided information regarding the temperament and character profiles of community adolescents which may predict matured personality, positive affect, psychological well-being, and life satisfaction in adulthood (*Garcia, 2011; Garcia et al., 2013b; Garcia & Moradi, 2012; Moreira et al., 2014*). In current study, the high behavior problem group showing a vulnerable personality profile was characterized by high HA and NA and low RD, PS, SD and CO. However, the low behavior problem group showing a

resilient personality profile was characterized by low HA and NA and high RD, PS, SD and CO which is in line with the healthy and resilient personality profile reported in previous studies (Eley et al., 2016; Lee, Choi & Chae, 2017a; Moreira et al., 2014) as Dependable temperament and Matured character profile (Zohar et al., 2018). The temperament traits of high NS and/or high HA in combination with character traits of low SD were repeatedly demonstrated as a major risk factor for many psychopathological conditions (Fassino et al., 2004; Lee, Choi & Chae, 2017a; Lilienfeld, 2010).

The temperament complex of high NS, high HA and low RD (NHr) represented the high behavior problem group in the current study, and the most vulnerable personality profile related to psychological immaturity (Basoglu et al., 2011; Cloninger, 1987; Lee et al., 2014) was characterized by an Explosive temperament profile which possesses dynamic psychological energy secondary to a simultaneous co-existing mixture of approach (high NS) and avoidance (high HA) behaviors (Cloninger, 1987; Lee et al., 2014). Individuals with an Explosive temperament profile tend to be bold and daring when others hesitate and/or behave according to the particular situation. There is also a high probability of conflicts in interpersonal relationships since they may express their impulsivity and emotions without filtering, and may lack empathic capability secondary to their temperament trait of low RD.

On the contrary, an individual with a low NS, low HA and high RD (nhR) representing the low behavior problem group in this study manifests a Reliable temperament profile which is potentially the least vulnerable to psychological immaturity (Cloninger, 1987; Lee et al., 2014). Individuals with Reliable and Dependable (low NS, low HA, high RD and high PS) temperament profile are calm and careful, and are generally optimistic, pleasant, and conscientious. They are compassionate and express soft and warm emotions, while not being easily angered, annoyed nor excited.

In these ways, when analyzing psychological characteristics from the perspective of interacting complexes, rather than as a collection of individual factors, we may find that the immature coping style of the Explosive temperament profile (Cloninger, 1987; Lee et al., 2014) could trigger maladaptive response styles to daily life stress, and potentially exacerbate behavior problems, and the Matured character profile of high SD and CO provides cognitive self-regulation of their behavior and adaptive responses to stress (Moreira et al., 2014; Zohar et al., 2018).

Adolescence is an important period for the development of autonomous identity, social relationships, and values and goals shaping their lifestyle (Erikson, 1968; Garcia et al., 2013b), and psychological maturity measured as high SD and CO is a predictor of appropriate adaptation to society and/or ability to bounce back from lifespan challenges (Cloninger, Salloum & Mezzich, 2012a; Eley et al., 2013; Moreira et al., 2014). It is a period of identity formation showing dramatic transition from external inhibition on emotional drive by parents, teachers and guardians to cognitive and intentional self-regulation based on their own goals and values (Erikson, 1968; Moreira et al., 2014; Zohar et al., 2018).

Adolescents and adults with high SD and CO character experience more frequent positive emotions and life satisfaction throughout their lifetime, and less psychosocial dysfunction and behavioral disorders which reportedly increase dramatically during

adolescence (*Garcia, Anckarsäter & Lundström, 2013a; Garcia et al., 2013b*). The matured adults demonstrate higher executive functioning such as response inhibition, attention, long-range planning and organization, and flexible regulation of impulses and employment of cognitive emotional strategies emerge and grow by adolescence (*Garcia et al., 2013b*).

Since the most effective preventive intervention for behavior problems may be accomplished by enabling matured coping to stress through promotion of character development both at home and school (*Eley et al., 2013; Eley et al., 2016; Moreira et al., 2014; Zohar et al., 2018*), emphasis should be placed on fostering personal integrity, self-esteem, self-acceptance, responsibility, relatedness and effectiveness in society (*Cloninger, 2006; Magen, 1998*) which the JTCI SD and CO character traits accentuate.

Children with high RD, PS, SD and CO were shown to exhibit high intelligence and academic achievement (*Copeland et al., 2004*), self-discipline in adolescents was reported to be a better predictor of academic performance than intellectual functioning in school (*Duckworth & Seligman, 2005; Moreira et al., 2012*), and matured adolescents exhibited higher level of positive affect, life satisfaction, social support and subjective health (*Moreira et al., 2014*). Educating adolescents receiving and providing help as peer counselors may be an exemplary intervention which is useful for strengthening a sense of purpose and worth, feelings of usefulness, and satisfying interaction with others (*Garcia et al., 2013b; Magen, 1998*).

This study may hold a number of limitations in regard to generalization. First, participants in the current study were high school students from a metropolitan area, and the ratio of well-adjusted to problematically adjusted students in addition to rural or urban characteristics (*Eley et al., 2016*) may have affected the outcome. Although the sample size was sufficiently large enough to dampen potential biases, it will be needed to be validated in diverse aspects to generalize the findings.

Second, the current study examined the personality characteristics of high school students who exhibits relatively stable temperament and character and can complete reliable self-report measures. Considering that behavior problems and coping mechanism in response to stress situations develop in complex interaction with temperament, character, environment, and learning (*Cloninger, Salloum & Mezzich, 2012a; Eley et al., 2013*), the findings of the current study with high school students should be also be replicated in middle school and elementary school students as well. This would allow for early and proactive preventive interventions through reviewing lifelong developmental perspectives on personality and psychopathology.

## CONCLUSION

The current study confirmed previous reports (*Eley et al., 2013; Eley et al., 2016; Lee, Choi & Chae, 2017a*) that high NS and HA and low RD temperaments and low SD and CO characters are risk factors for behavior problems in adolescents both as individual traits and as a complex profile (*Moreira et al., 2014; Zohar et al., 2018*). The results would contribute to studies examining effects of personality on behavior problems and benefits of improving resilience to stress and nurturing lifespan psychological well-being by developing matured personality (*Eley et al., 2016*).

## ADDITIONAL INFORMATION AND DECLARATIONS

### Funding

This research was supported by Kyung Sung University Research Grants in 2017. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

### Grant Disclosures

The following grant information was disclosed by the authors:  
Kyung Sung University Research.

### Competing Interests

C Robert Cloninger is an Academic Editor for PeerJ. Other authors declare that they have no competing interests.

### Author Contributions

- Soo Jin Lee conceived and designed the experiments, performed the experiments, analyzed the data, contributed reagents/materials/analysis tools, approved the final draft.
- Soo Hyun Park analyzed the data, authored or reviewed drafts of the paper, approved the final draft.
- C Robert Cloninger authored or reviewed drafts of the paper, approved the final draft.
- Han Chae conceived and designed the experiments, performed the experiments, prepared figures and/or tables, authored or reviewed drafts of the paper, approved the final draft.

### Human Ethics

The following information was supplied relating to ethical approvals (i.e., approving body and any reference numbers):

This study was approved by the Internal Review Board (2014/11/26-001) of Kyungil University, and all participants provided written informed consent for this study.

### Data Availability

The following information was supplied regarding data availability:

The raw data are provided in the [Supplemental Information 1](#).

### Supplemental Information

Supplemental information for this article can be found online at <http://dx.doi.org/10.7717/peerj.6106#supplemental-information>.

## REFERENCES

- Achenbach TM. 2009.** *Achenbach system of empirically based assessment (ASEBA): development, findings, theory, and applications*. Burlington: University of Vermont, Research Center of Children, Youth & Families.

- Achenbach TM, Edelbrock CS. 1978.** The classification of child psychopathology: a review and analysis of empirical efforts. *Psychological Bulletin* **85**:1275–1301 DOI [10.1037/0033-2909.85.6.1275](https://doi.org/10.1037/0033-2909.85.6.1275).
- Achenbach TM, Rescorla L. 2001.** *ASEBA school-age forms & profiles*. Burlington: Aseba Burlington.
- Archer J. 2004.** Sex differences in aggression in real-world settings: a meta-analytic review. *Review of General Psychology* **8**:291–322 DOI [10.1037/1089-2680.8.4.291](https://doi.org/10.1037/1089-2680.8.4.291).
- Basoglu C, Oner O, Ates A, Algul A, Bez Y, Ebrinc S, Cetin M. 2011.** Temperament traits and psychopathy in a group of patients with antisocial personality disorder. *Comprehensive Psychiatry* **52**:607–612 DOI [10.1016/j.comppsy.2011.01.003](https://doi.org/10.1016/j.comppsy.2011.01.003).
- Caprara GV, Gerbino M, Perinelli E, Alessandri G, Lenti C, Walder M, Preda CE, Brunati E, Marchesini G, Tiberti A. 2017.** Individual differences in personality associated with aggressive behavior among adolescents referred for externalizing behavior problems. *Journal of Psychopathology and Behavioral Assessment* **39**:680–692.
- Chae H, Kim SH, Han SY, Lee SJ, Kim B, Kwon Y, Lee SJ. 2014.** Study on the psychobiological characteristics of Sasang Typology based on the type-specific pathophysiological digestive symptom. *Korean Journal of Oriental Physiology & Pathology* **28**:417–424.
- Cloninger CR. 1987.** A systematic method for clinical description and classification of personality variants: a proposal. *Archives of General Psychiatry* **44**:573–588 DOI [10.1001/archpsyc.1987.01800180093014](https://doi.org/10.1001/archpsyc.1987.01800180093014).
- Cloninger CR. 2006.** Fostering spirituality and well-being in clinical practice. *Psychiatric Annals* **36**:1–6.
- Cloninger CR. 2008.** The psychobiological theory of temperament and character: comment on Farmer and Goldberg (2008). *Psychol Assess* **20**:292–299 DOI [10.1037/a0012933](https://doi.org/10.1037/a0012933).
- Cloninger CR, Cloninger KM. 2011.** Person-centered Therapeutics. *International Journal of Person Centered Medicine* **1**:43–52 DOI [10.5750/ijpcm.v1i1.21](https://doi.org/10.5750/ijpcm.v1i1.21).
- Cloninger CR, Salloum IM, Mezzich JE. 2012a.** The dynamic origins of positive health and wellbeing. *International Journal of Person Centered Medicine* **2**:179–187.
- Cloninger CR, Svrakic DM, Przybeck TR. 1993.** A psychobiological model of temperament and character. *Archives of General Psychiatry* **50**:975–990 DOI [10.1001/archpsyc.1993.01820240059008](https://doi.org/10.1001/archpsyc.1993.01820240059008).
- Cloninger CR, Zohar AH. 2011.** Personality and the perception of health and happiness. *Journal of Affective Disorders* **128**:24–32 DOI [10.1016/j.jad.2010.06.012](https://doi.org/10.1016/j.jad.2010.06.012).
- Cloninger CR, Zohar AH, Hirschmann S, Dahan D. 2012b.** The psychological costs and benefits of being highly persistent: personality profiles distinguish mood disorders from anxiety disorders. *Journal of Affective Disorders* **136**:758–766 DOI [10.1016/j.jad.2011.09.046](https://doi.org/10.1016/j.jad.2011.09.046).
- Cooper ML, Wood PK, Orcutt HK, Albino A. 2003.** Personality and the predisposition to engage in risky or problem behaviors during adolescence. *Journal of Personality and Social Psychology* **84**:390–410 DOI [10.1037/0022-3514.84.2.390](https://doi.org/10.1037/0022-3514.84.2.390).

- Copeland W, Landry K, Stanger C, Hudziak JJ. 2004.** Multi-informant assessment of temperament in children with externalizing behavior problems. *Journal of Clinical Child & Adolescent Psychology* **33**:547–556 DOI [10.1207/s15374424jccp3303\\_12](https://doi.org/10.1207/s15374424jccp3303_12).
- Costa PT, MacCrae RR. 1992.** *Revised NEO personality inventory (NEO PI-R) and NEO five-factor inventory (NEO-FFI): professional manual*. Lutz: Psychological Assessment Resources.
- De Pauw SS, Mervielde I, Van Leeuwen KG. 2009.** How are traits related to problem behavior in preschoolers? Similarities and contrasts between temperament and personality. *Journal of Abnormal Child Psychology* **37**:309–325 DOI [10.1007/s10802-008-9290-0](https://doi.org/10.1007/s10802-008-9290-0).
- Duckworth AL, Seligman ME. 2005.** Self-discipline outdoes IQ in predicting academic performance of adolescents. *Psychological Science* **16**:939–944 DOI [10.1111/j.1467-9280.2005.01641.x](https://doi.org/10.1111/j.1467-9280.2005.01641.x).
- Eley DS, Cloninger CR, Walters L, Laurence C, Synnott R, Wilkinson D. 2013.** The relationship between resilience and personality traits in doctors: implications for enhancing well being. *PeerJ* **1**:e216 DOI [10.7717/peerj.216](https://doi.org/10.7717/peerj.216).
- Eley DS, Leung J, Hong BA, Cloninger KM, Cloninger CR. 2016.** Identifying the dominant personality profiles in medical students: implications for their well-being and resilience. *PLOS ONE* **11**:e0160028 DOI [10.1371/journal.pone.0160028](https://doi.org/10.1371/journal.pone.0160028).
- Else-Quest NM, Hyde JS, Goldsmith HH, Van Hulle CA. 2006.** Gender differences in temperament: a meta-analysis. *Psychological Bulletin* **132**:33–72 DOI [10.1037/0033-2909.132.1.33](https://doi.org/10.1037/0033-2909.132.1.33).
- Erikson EH. 1968.** *Identity: youth and crisis*. New York: Norton.
- Fassino S, Amianto F, Gramaglia C, Facchini F, Daga GA. 2004.** Temperament and character in eating disorders: ten years of studies. *Eat Weight Disord* **9**:81–90 DOI [10.1007/BF03325050](https://doi.org/10.1007/BF03325050).
- Garcia D. 2011.** Two models of personality and well-being among adolescents. *Personality and Individual Differences* **50**:1208–1212 DOI [10.1016/j.paid.2011.02.009](https://doi.org/10.1016/j.paid.2011.02.009).
- Garcia D, Anckarsäter H, Lundström S. 2013a.** Self-directedness and cooperativeness, psychosocial dysfunction and suffering in ESSENCE. *Scientific World Journal* **2013**:416981.
- Garcia D, Lundström S, Brändström S, Råstam M, Cloninger CR, Kerekes N, Nilsson T, Anckarsäter H. 2013b.** Temperament and character in the child and adolescent twin study in sweden (CATSS): comparison to the general population, and genetic structure analysis. *PLOS ONE* **8**:e70475 DOI [10.1371/journal.pone.0070475](https://doi.org/10.1371/journal.pone.0070475).
- Garcia D, Moradi S. 2012.** Adolescents' temperament and character: a longitudinal study on happiness. *Journal of Happiness Studies* **13**:931–946 DOI [10.1007/s10902-011-9300-8](https://doi.org/10.1007/s10902-011-9300-8).
- Gray JA. 1982.** On mapping anxiety. *Behavioral and Brain Sciences* **5**:506–534 DOI [10.1017/S0140525X00013297](https://doi.org/10.1017/S0140525X00013297).
- Ha S-S, Kwon S-M. 2016.** Efficacy of the strengths-based writing intervention among the clinical adolescents with externalizing maladjustment behaviors. *Korean Journal of Clinical Psychology* **35**:139–163 DOI [10.15842/kjcp.2016.35.1.008](https://doi.org/10.15842/kjcp.2016.35.1.008).

- Hemphälä M, Gustavsson JP, Tengström A. 2013.** The validity of the health-relevant personality inventory (HP5i) and the junior temperament and character inventory (JTICI) among adolescents referred for a substance misuse problem. *Journal of Personality Assessment* **95**:398–406 DOI [10.1080/00223891.2012.735301](https://doi.org/10.1080/00223891.2012.735301).
- Hoyle RH. 2000.** Personality processes and problem behavior. *Journal of Personality* **68**:953–966 DOI [10.1111/1467-6494.00122](https://doi.org/10.1111/1467-6494.00122).
- Kashdan TB, Hofmann SG. 2008.** The high-novelty-seeking, impulsive subtype of generalized social anxiety disorder. *Depress and Anxiety* **25**:535–541 DOI [10.1002/da.20382](https://doi.org/10.1002/da.20382).
- Kim H, Lee S. 2016.** Comparison of temperaments and characters between the children with conduct problem and normal children. *SOPE* **8**:183–198.
- Kim KH. 2013.** The effect of temperament/character dimensions for adaptive problem in psychiatric adolescents. *Korean Journal of Clinical Psychology* **32**:455–464 DOI [10.15842/kjcp.2013.32.2.011](https://doi.org/10.15842/kjcp.2013.32.2.011).
- Kim SJ, Lee SJ, Yune SK, Sung YH, Bae S, Chung A, Kim J, Lyoo IK. 2006.** The relationship between the biogenetic temperament and character and psychopathology in adolescents. *Psychopathology* **39**:80–86 DOI [10.1159/000090597](https://doi.org/10.1159/000090597).
- Kim S-R, Lee M-K, Chae H. 2017.** Study on the character development by educating traditional classics. *Seok-dang Ronchong* **67**:119–150.
- Klimstra TA, Akse J, Hale WW, Raaijmakers QAW, Meeus WHJ. 2010.** Longitudinal associations between personality traits and problem behavior symptoms in adolescence. *Journal of Research in Personality* **44**:273–284 DOI [10.1016/j.jrp.2010.02.004](https://doi.org/10.1016/j.jrp.2010.02.004).
- Lanza ST, Flaherty BP, Collins LM. 2003.** Latent class and latent transition analysis. In: Schinka J, Velicer WA, eds. *Handbook of psychology: research methods in psychology*. New York: Wiley, 663–685.
- Laursen B, Richmond A. 2013.** Relationships: commentary: personality, relationships, and behavior problems: it's hard to be disagreeable. *Journal of Personality Disorders* **28**:143–150.
- Lee SJ, Choi YJ, Chae H. 2017a.** The effects of personality traits on academic burnout in Korean medical students. *Integrative Medicine Research* **6**:207–213 DOI [10.1016/j.imr.2017.03.005](https://doi.org/10.1016/j.imr.2017.03.005).
- Lee SJ, Cloninger CR, Cloninger KM, Chae H. 2014.** The temperament and character inventory for integrative medicine. *Journal of Oriental Neuropsychiatry* **25**:213–224 DOI [10.7231/jon.2014.25.3.213](https://doi.org/10.7231/jon.2014.25.3.213).
- Lee SJ, Han SY, Kim HY, Choi MH, Chae H. 2017b.** Yin-Yang temperament and psychopathological behavior in middle school students. *Journal of Oriental Neuropsychiatry* **28**:61–72.
- Lee SJ, Sim Y, Kim HJ, Kim HJ, Kim M-G, Kim K-S, Chae H. 2013.** Analysis of child behavior checklist (CBCL) problem behaviors of Sasang types in a child clinical sample. *The Journal of Korean Oriental Pediatrics* **27**:7–14 DOI [10.7778/jpkm.2013.27.1.007](https://doi.org/10.7778/jpkm.2013.27.1.007).
- Lilienfeld LRR. 2010.** *Personality and temperament. Behavioral neurobiology of eating disorders*. Berlin: Springer, 3–16.

- Lim YK, Choi YM, Choi JY. 2013.** The relationship among temperament, character, coping style, and depression in depressive patients. *Korean Journal of Clinical Psychology* **32**:331–350 DOI [10.15842/kjcp.2013.32.2.004](https://doi.org/10.15842/kjcp.2013.32.2.004).
- Magen Z. 1998.** *Exploring adolescent happiness: commitment, purpose, and fulfillment*. London: SAGE Publications, Inc.
- Min BB, Oh HS, Lee JY. 2007.** *Temperament and character inventory-family manual*. Seoul: Maumsarang.
- Moreira PA, Cloninger CR, Dinis L, Sa L, Oliveira JT, Dias A, Oliveira J. 2014.** Personality and well-being in adolescents. *Frontiers in Psychology* **5**:1494.
- Moreira PA, Oliveira JT, Cloninger KM, Azevedo C, Sousa A, Castro J, Cloninger CR. 2012.** The psychometrics and validity of the junior temperament and character inventory in Portuguese adolescents. *Comprehensive Psychiatry* **53**:1227–1236 DOI [10.1016/j.comppsy.2012.04.014](https://doi.org/10.1016/j.comppsy.2012.04.014).
- Muthén B. 2004.** Latent variable analysis: growth mixture modeling and related techniques for longitudinal data. In: Kaplan D, ed. *Handbook of quantitative methodology for the social sciences*. Newbury Park: Sage Publications.
- Muthén LK, Muthén BO. 2005.** *Mplus: statistical analysis with latent variables: user's guide*. Los Angeles: Muthén & Muthén.
- Nolen-Hoeksema S, Girgus JS. 1994.** The emergence of gender differences in depression during adolescence. *Psychological Bulletin* **115**:424–443 DOI [10.1037/0033-2909.115.3.424](https://doi.org/10.1037/0033-2909.115.3.424).
- Nylund KL, Asparouhov T, Muthen BO. 2007.** Deciding on the number of classes in latent class analysis and growth mixture modeling: a Monte Carlo simulation study. *Structure Equation Modeling* **14**:535–569 DOI [10.1080/10705510701575396](https://doi.org/10.1080/10705510701575396).
- Oh KJ, Kim YA. 2011.** *Korean version of youth self report*. Seoul: Huno Consulting Inc.
- Oh KJ, Lee H. 1990.** Empirically derived syndromes of Korean children and adolescents: analyses of child behavior checklist data from clinical referred boys aged 4-5, 6-11, and 12-16. *Korean Journal of Clinical Psychology* **9**:33–55.
- Pursell GR, Laursen B, Rubin KH, Booth-LaForce C, Rose-Krasnor L. 2008.** Gender differences in patterns of association between prosocial behavior, personality, and externalizing problems. *Journal of Research in Personality* **42**:472–481 DOI [10.1016/j.jrp.2007.06.003](https://doi.org/10.1016/j.jrp.2007.06.003).
- Rettew DC, Stanger C, McKee L, Doyle A, Hudziak JJ. 2006.** Interactions between child and parent temperament and child behavior problems. *Comprehensive Psychiatry* **47**:412–420 DOI [10.1016/j.comppsy.2005.12.008](https://doi.org/10.1016/j.comppsy.2005.12.008).
- Roberts BW, Caspi A, Moffitt TE. 2001.** The kids are alright: growth and stability in personality development from adolescence to adulthood. *Journal of Personality and Social Psychology* **81**:670–683 DOI [10.1037/0022-3514.81.4.670](https://doi.org/10.1037/0022-3514.81.4.670).
- Rutter M, Caspi A, Moffitt TE. 2003.** Using sex differences in psychopathology to study causal mechanisms: unifying issues and research strategies. *Journal of Child Psychology and Psychiatry and Allied Disciplines* **44**:1092–1115 DOI [10.1111/1469-7610.00194](https://doi.org/10.1111/1469-7610.00194).

- Schmeck K, Poustka F. 2001.** Temperament and disruptive behavior disorders. *Psychopathology* **34**:159–163 DOI [10.1159/000049300](https://doi.org/10.1159/000049300).
- Sjoberg H. 1973.** Personality structure and development: a model and its application. *Acta Psychiatrica Scandinavica. Supplementum* **244**:1–20.
- Slobodskaya HR, Akhmetova OA. 2010.** Personality development and problem behavior in Russian children and adolescents. *International Journal of Behavioral Development* **34**:441–451 DOI [10.1177/0165025409352825](https://doi.org/10.1177/0165025409352825).
- Sourander A, Helstelä L, Helenius H. 1999.** Parent-adolescent agreement on emotional and behavioral problems. *Social Psychiatry and Psychiatric Epidemiology* **34**:657–663 DOI [10.1007/s001270050189](https://doi.org/10.1007/s001270050189).
- Tremblay RE, Pihl RO, Vitaro F, Dobkin PL. 1994.** Predicting early onset of male anti-social behavior from preschool behavior. *Archives of General Psychiatry* **51**:732–739 DOI [10.1001/archpsyc.1994.03950090064009](https://doi.org/10.1001/archpsyc.1994.03950090064009).
- Verhulst FC, Ende J. 1992.** Agreement between parents' reports and adolescents' self-reports of problem behavior. *Journal of Child Psychology and Psychiatry and Allied Disciplines* **33**:1011–1023 DOI [10.1111/j.1469-7610.1992.tb00922.x](https://doi.org/10.1111/j.1469-7610.1992.tb00922.x).
- Zohar AH, Zwir I, Wang J, Cloninger CR, Anokhin AP. 2018.** The development of temperament and character during adolescence: the processes and phases of change. *Development and Psychopathology* Epub ahead of print Apr 29 2018.