

2020

Impact of gender and caregiving responsibilities on academic success in hematology

Allison A. King
Washington University School of Medicine in St. Louis

Sara K. Vesely
University of Oklahoma Health Sciences Center

Emily Vettese
The Hospital for Sick Children, Toronto

Sadie Cook
The Hospital for Sick Children, Toronto

Adam Cuker
University of Pennsylvania

See next page for additional authors

Follow this and additional works at: https://digitalcommons.wustl.edu/open_access_pubs

Please let us know how this document benefits you.

Recommended Citation

King, Allison A.; Vesely, Sara K.; Vettese, Emily; Cook, Sadie; Cuker, Adam; Stock, Wendy; Homer, Morgan; Fritz, Josel; and Sung, Lilian, "Impact of gender and caregiving responsibilities on academic success in hematology." *Blood Advances*. 4, 4. 755 - 761. (2020).
https://digitalcommons.wustl.edu/open_access_pubs/8886

This Open Access Publication is brought to you for free and open access by Digital Commons@Becker. It has been accepted for inclusion in Open Access Publications by an authorized administrator of Digital Commons@Becker. For more information, please contact vanam@wustl.edu.

Authors

Allison A. King, Sara K. Vesely, Emily Vettese, Sadie Cook, Adam Cuker, Wendy Stock, Morgan Homer, Josel Fritz, and Lilian Sung

Impact of gender and caregiving responsibilities on academic success in hematology

Allison A. King,¹⁻³ Sara K. Vesely,⁴ Emily Vettese,⁵ Sadie Cook,⁵ Adam Cuker,^{6,7} Wendy Stock,⁸ Morgan Homer,⁹ Josel Fritz,⁹ and Lillian Sung^{5,10}

¹Program in Occupational Therapy, ²Division of Pediatric Hematology/Oncology, and ³Division of Public Health Sciences, Department of Surgery, Washington University School of Medicine, St. Louis, MO; ⁴Department of Biostatistics and Epidemiology, Hudson College of Public Health, University of Oklahoma Health Sciences Center, Oklahoma City, OK; ⁵Child Health Evaluative Sciences, The Hospital for Sick Children, Toronto, ON, Canada; ⁶Department of Medicine and ⁷Department of Pathology and Laboratory Medicine, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA; ⁸Department of Medicine, University of Chicago Comprehensive Cancer Center, Chicago, IL; ⁹American Society of Hematology, Washington, DC; ¹⁰Division of Haematology/Oncology, The Hospital for Sick Children, Toronto, ON, Canada

Key Points

- ASH CRTI alumni are productive clinical researchers, but men had more publications than women, regardless of caregiving responsibilities.
- Caregiving has a negative impact on academic productivity, primarily among men, and more work is needed to reduce gender disparities.

We previously identified gender disparities in academic success during evaluation of the American Society of Hematology (ASH) Clinical Research Training Institute (CRTI) and hypothesized that it may be related to caregiving. The objective was to evaluate the impact of gender and caregiving responsibilities on academic success. A cross-sectional survey that included a question about caregiving responsibilities was distributed to alumni who participated in CRTI from 2003 to 2016 and asked about academic productivity in the previous 3 years. Publications and grants were abstracted from submitted curriculum vitae. Academic success was defined as number of first- or senior-author publications, total publications, grants, and percent effort in research. Of 280 potential respondents, 258 responded (92% response rate), 169 (66%) had caregiving responsibilities, and 110 (43%) were men. Respondents with caregiving responsibilities had fewer first- or senior-author publications (median, 3 vs 5; $P = .003$) and less percent effort in research (median, 40% vs 50%; $P = .006$). Men had more first- or senior-author publications (median, 4 vs 3; $P = .002$) and more total publications (median, 12 vs 6.5; $P = .0002$) than women. When stratified by those without ($P = .0001$) or with ($P = .042$) caregiving responsibilities, men had more publications than women. Among men, caregiving responsibilities significantly reduced all outcomes. However, among women, caregiving did not have an impact. In conclusion, men had more publications than women whether or not they had caregiving responsibilities. However, among men, caregiving reduced academic productivity whereas among women, caregiving did not have impact. The scientific community will need to continue to identify the reasons for disparities and implement changes to address them.

Introduction

The American Society of Hematology (ASH) has focused on improving the training of hematologists in patient-oriented research and increasing the likelihood of academic success.¹ This effort culminated in the creation and ongoing evolution of the Clinical Research Training Institute (CRTI), which has been training junior hematologists since 2003.^{2,3}

In 2014, we conducted a cross-sectional evaluation with a goal of identifying factors associated with academic success. We found a gender disparity among 115 CRTI alumni who participated from 2005 to 2012.⁴ When compared with men, women respondents had fewer median published research articles in

Table 1. Demographic characteristics of CRTI alumni from 2003 to 2016 (N = 258)

| Characteristic | n | % |
|--|-----|-----|
| Sex | | |
| Male | 110 | 43 |
| Female | 148 | 57 |
| Race | | |
| Black or African American | 10 | 4 |
| American Indian or Alaskan Native | 2 | 1 |
| White | 169 | 66 |
| Asian | 57 | 22 |
| Other | 18 | 7 |
| Missing | 2 | 1 |
| Hispanic | | |
| Yes | 10 | 4 |
| No | 245 | 95 |
| Missing | 3 | 1 |
| Position at time of CRTI participation | | |
| Faculty | 108 | 42 |
| Fellow | 141 | 55 |
| Other | 9 | 3 |
| Current career setting | | |
| Academic | 222 | 86 |
| Government agency | 3 | 1 |
| Industry | 14 | 5 |
| Private practice/other | 13 | 5 |
| Other | 4 | 2 |
| Missing | 2 | 1 |
| Child or caregiving responsibilities | | |
| Yes | 169 | 66 |
| No | 83 | 32 |
| Missing | 6 | 2 |
| Child or caregiving responsibilities affected academic productivity | | |
| Strongly agree | 59 | 23 |
| Agree | 75 | 29 |
| Neutral | 21 | 8 |
| Disagree | 7 | 3 |
| Strongly disagree | 3 | 1.2 |
| Not applicable | 87 | 34 |
| Missing | 6 | 2 |
| Marital status | | |
| Married | 219 | 85 |
| Living with partner | 6 | 2 |
| Divorced | 1 | <1 |
| Single | 28 | 11 |
| Missing | 4 | 2 |
| Partner's employment status | | |
| Does not work | 25 | 10 |
| Works full-time from home | 17 | 7 |

Table 1. (continued)

| Characteristic | n | % |
|------------------------------|-----|----|
| Works part-time from home | 14 | 5 |
| Works full-time outside home | 144 | 56 |
| Works part-time outside home | 23 | 9 |
| Not applicable | 29 | 11 |
| Missing | 6 | 2 |

the past year (2 vs 3; $P = .009$) and a lower median percent effort in research (40% vs 50%; $P = .0029$). This finding has led to focused efforts toward highlighting female role models and discussing gender issues at CRTI. We hypothesized that the observed gender disparity could be related to caregiving responsibilities, so we developed the subsequent cross-sectional study to specifically address this question. The objective of this study was to evaluate the impact of gender and caregiving responsibilities on academic success as defined by number of publications and percent effort in research.

Methods

Design

We have previously described the CRTI program in depth.⁴ In brief, CRTI is a 1-year mentored experience that begins with a week-long summer workshop held in August. To be eligible for the program, applicants must be a senior fellow or junior faculty member with an intended career in patient-oriented hematology research. Typically, 20 participants are chosen each year. Faculty consist of about 20 established clinical researchers, 5 to 6 biostatisticians, and representatives from key funding agencies. The summer workshop consists of didactic lectures, small group sessions, and interactive learning sessions. Participants develop their own clinical research questions and proposals during the summer workshop. Two follow-up reunions in December and May allow the small groups to reconvene and permit ongoing discussions focused on career development. A 1-year mentorship program is also incorporated, with each trainee being matched with a CRTI faculty mentor who attended the summer workshop.

In 2016, ASH formalized its evaluation plan, which now includes cross-sectional surveys of all CRTI alumni every 3 years. The survey allows for an evaluation of outcomes at a variety of time points since CRTI participation, and the sample size allows for relatively robust statistical analyses. The survey that forms the basis of this article was distributed in January 2017 to all 285 alumni who had participated in the program (summer workshops from 2003 to 2016) and asked about productivity in the previous 3 years (since January 2014). The survey included 24 questions (see supplemental Appendix), was created in REDCap,⁵ and was extensively pilot tested by non-CRTI trainees (E.V. and S.C.) and the investigators (A.A.K. and A.C.) before being disseminated. The time needed to complete the survey was approximately 10 minutes. Follow-up reminders occurred via e-mail for non-respondents. Several questions presented a statement and requested a response using a 5-point Likert scale (Strongly agree, Agree, Neutral, Disagree, Strongly disagree). Respondents were also asked to provide their curriculum vitae (CV) from which grants and publications were abstracted by 2 members of the study team (E.V. and S.C.).

The abstracted data were then provided to the respondent, who either confirmed that the data were correct or edited the data.

Outcomes

The primary outcome of academic success was based on promotion committee criteria from the authors' institutions and was defined as one of the following in the previous 3 years (since January 2014): (1) the number of first- or senior-author peer-reviewed publications, (2) the number of total publications regardless of author position, (3) percent effort in research, and (4) being the principal investigator for any federal grant. Federal grants included operating grants from the National Institutes of Health (including R, K, U, P, and T mechanisms), the Agency for Healthcare Research and Quality, the Patient-Centered Outcomes Research Institute, and the Human Resources and Services Administration. Canadian federal funding sources were the Canadian Institutes of Health Research and the Canadian Cancer Society Research Institute. A foundation grant included any private foundation that awards funds to support research. The secondary outcomes we evaluated were being a principal investigator on a foundation grant and being a principal investigator on a federal or foundation grant.

Primary exposure variable and covariates

The primary exposure variable was whether respondents had caregiving responsibilities defined by child caregiving or providing care to an adult family member who needed assistance. Other variables of interest were whether respondents agreed or strongly agreed that caregiving responsibilities affected their career, whether participants were married or living with a partner, whether the partner worked and whether that partner worked at home or outside the home, gender, and whether respondents self-identified as being an underrepresented minority. We also evaluated whether respondents were faculty at the time of CRTI participation and whether respondents agreed or strongly agreed that CRTI facilitated their career development.

Statistical analysis

Descriptive statistics, including percentages and medians, were calculated for all demographic, predictor, and outcome variables. To describe the relationship between the variables of interest and the number of publications and percent effort in research, we performed Wilcoxon rank-sum tests. To evaluate whether differences in those with and without caregiving responsibilities were similar by gender, we stratified by gender and re-evaluated the effect of caregiving. We similarly stratified by caregiving and re-evaluated the effect of gender. Analysis of being principal investigator on a federal grant was conducted using χ^2 analysis. All tests were two-sided, and $P < .05$ was used to define statistical significance. SAS version 9.4 was used for all statistical analyses (SAS Institute, Cary, NC).

Results

There were 285 surveys distributed to alumni who had participated in any CRTI program from 2003 to 2016. Of these alumni, 2 had died and 3 could not be contacted, leaving 280 total potential respondents. There were 258 alumni who responded and submitted a CV (92% response rate). Demographics of participants are provided in Table 1. Of the respondents, 169 (66%) stated that they had child or other caregiving responsibilities, and 134 (52%) agreed or strongly agreed that child or caregiving responsibilities

Table 2. Academic outcomes among CRTI alumni and CRTI influence on outcomes (N = 258)

| Outcome | Total no. of respondents | % | Median | IQR |
|--|--------------------------|----|--------|-------|
| Outcomes for previous 3 y | | | | |
| Publications as first or last author | | | 3 | 1-6 |
| Total publications irrespective of authorship position | | | 8 | 4-18 |
| Percent time in research* | | | 45 | 25-70 |
| Principal investigator on any federal grant | 62 | 24 | | |
| Principal investigator on any foundation grant | 94 | 36 | | |
| Principal investigator on any federal or foundation grant | 116 | 45 | | |
| CRTI influences on outcomes and career | | | | |
| At least one protocol, manuscript, or grant attributable to CRTI† | 174/232 | 75 | | |
| Protocol | 153/231 | 66 | | |
| Manuscript | 123/227 | 54 | | |
| Grant | 106/227 | 47 | | |
| CRTI-related currently ongoing collaboration† | | | | |
| CRTI faculty | 137/257 | 53 | | |
| CRTI trainee | 105/257 | 41 | | |
| Non-CRTI attendee but CRTI facilitated | 66/257 | 26 | | |
| CRTI facilitated career development as independent researcher | | | | |
| Strongly agree | 157 | 61 | | |
| Agree | 75 | 29 | | |
| Neutral | 17 | 7 | | |
| Disagree | 8 | 3 | | |
| Strongly disagree | 1 | <1 | | |
| CRTI was instrumental to retaining me in the field of hematology research | | | | |
| Strongly agree | 132 | 51 | | |
| Agree | 83 | 32 | | |
| Neutral | 35 | 14 | | |
| Disagree | 6 | 2 | | |
| Strongly disagree | 2 | 1 | | |

IQR, interquartile range.

*One person did not report time in research.

†Some items had missing values.

had affected their career. In terms of marital status, 225 (87%) were married or living with a partner, and 25 had a partner who did not work.

There were 124 alumni who had been promoted in the previous 3 years (48%), of which 101 were academic promotions (45% of those in academia). There were 49 (19%) who had obtained an advanced degree related to clinical research, 104 (40%) who were teaching clinical research, and 247 (96%) who stated that they were still currently involved in research. Specific research roles

Table 3. Factors associated with number of publications, first-author or senior-author publications, and percent effort

| Factor | Total no. of respondents | First- or senior-author publications | | | Any publications | | | Percent effort in research* | | |
|---|--------------------------|--------------------------------------|------|--------|------------------|--------|-------|-----------------------------|-----------|--------|
| | | Median | IQR | P | Median | IQR | P | Median | IQR | P |
| Child or caregiving responsibilities* | | | | .003 | | | .293 | | | .006 |
| Yes | 169 | 3 | 1-6 | | 8 | 4-19 | | 40 | 20-60 | |
| No | 83 | 5 | 2-8 | | 10 | 4-18 | | 50 | 35-75 | |
| Strongly agree or agree caregiving responsibilities affected career* | | | | .422 | | | .435 | | | .785 |
| Yes | 134 | 3 | 1-6 | | 8 | 4-16 | | 40 | 20-60 | |
| No | 31 | 4 | 1-10 | | 10 | 3-25 | | 45 | 20-75 | |
| Married or living with partner | | | | .480 | | | .712 | | | .595 |
| Yes | 225 | 3 | 1-6 | | 8 | 4-17 | | 45 | 23.5-70.0 | |
| No | 29 | 4 | 2-6 | | 7 | 4-19 | | 50 | 25-70 | |
| Partner does not work* | | | | .851 | | | .756 | | | .117 |
| Yes | 25 | 4 | 1-7 | | 6 | 4-19 | | 40 | 10-50 | |
| No | 204 | 3 | 1-6 | | 8.5 | 4-17 | | 45 | 25-70 | |
| Sex | | | | .002 | | | .0002 | | | .349 |
| Male | 110 | 4 | 2-9 | | 12 | 5-21 | | 50 | 30-65 | |
| Female | 148 | 3 | 1-6 | | 6.5 | 3-13.5 | | 40 | 20-70 | |
| Underrepresented minority | | | | .444 | | | .190 | | | .865 |
| Yes | 22 | 3 | 2-6 | | 6 | 5-10 | | 45 | 20-75 | |
| No | 236 | 4 | 1-7 | | 8.5 | 4-19 | | 45 | 25-70 | |
| Position at CRTI faculty | | | | .370 | | | .143 | | | .103 |
| Yes | 108 | 3 | 2-7 | | 8.5 | 4.5-20 | | 50 | 30-70 | |
| No | 150 | 4 | 1-6 | | 8 | 3-16 | | 40 | 20-65 | |
| Strongly agree or agree that CRTI facilitated career | | | | <.0001 | | | .0004 | | | <.0001 |
| Yes | 232 | 4 | 2-7 | | 9 | 4-19 | | 50 | 30-70 | |
| No | 26 | 0 | 0-2 | | 3 | 0-8 | | 3.5 | 0-50 | |

*Missing or not applicable as follows: percent effort in research (n = 1), child or caregiving responsibilities (n = 6); strongly agree or agree that caregiving responsibilities affected career (n = 93); partner does not work (n = 29).

included being overall principal investigator or study chair of a multicenter study (n = 101; 39%), overall principal investigator or study chair of a single-center study (n = 156; 60%), institutional principal investigator of a multicenter trial (n = 146; 57%), grant reviewer (n = 95; 37%), and journal reviewer (n = 186; 72%). Of the 11 individuals not involved in research, their current career setting was academic (n = 5), private practice (n = 5), and other (n = 1).

Table 2 includes academic outcomes. Overall, the median number of publications as first or last author in the past 3 years was 3 (interquartile range [IQR], 1-6), the median total publications irrespective of authorship position was 8 (IQR, 4-18), and the median percent time in research was 45% (IQR, 25%-70%). Almost 1 in 4 respondents were principal investigators on a federally funded grant. Thirty-six percent were principal investigators of a grant funded by a foundation, and 45% were principal investigators on a federal or foundation grant. Table 2 also provides CRTI-related academic outputs. For example, 174 (75%) of 232 respondents had at least 1 academic product directly attributable to CRTI, with the most common product being development of a research protocol (66%). When asked about current ongoing collaborations, 137 (53%) of 257 were still collaborating with CRTI faculty, and 105 (41%) of 257 were still collaborating with CRTI trainees.

In terms of career development, 232 (90%) agreed or strongly agreed that CRTI facilitated their career development as an independent researcher, and 215 (83%) agreed or strongly agreed that CRTI was instrumental to remaining in hematology research.

Table 3 provides our evaluation of factors associated with the number of first- or senior-author publications, total publications, and percent effort in research. Those with child or caregiving responsibilities had significantly fewer first- or senior-author publications (median, 3 vs 5; $P = .003$) and less percent effort in research (median, 40% vs 50%; $P = .006$) compared with those without child or caregiving responsibilities. However, strong or very strong agreement that child or caregiving responsibilities affected their career was not significantly associated with the number of publications or percent effort in research. Men had more first- or senior-author publications (median, 4 vs 3; $P = .002$) and more publications in total (median, 12 vs 6.5; $P = .0002$) than women. Agreement that CRTI facilitated career development as an independent researcher was associated with more first-author publications (median, 4 vs 0; $P < .0001$), more total publications (median, 9 vs 3; $P = .0004$), and more percent effort in research (median, 50% vs 35%; $P < .0001$). Table 4 shows that none of the variables of interest were predictive of having at least 1 federal principal investigator grant.

Table 4. Factors associated with being principal investigator for at least 1 federal grant

| Factor | Total no. of respondents | Federal grant principal investigator | | |
|--|--------------------------|--------------------------------------|----|------|
| | | n | % | P |
| Child or caregiving responsibilities* | | | | .977 |
| Yes | 169 | 41 | 24 | |
| No | 83 | 20 | 24 | |
| Strongly agree or agree that caregiving responsibilities affected career* | | | | .128 |
| Yes | 134 | 30 | 22 | |
| No | 31 | 11 | 35 | |
| Married or living with partner | | | | .987 |
| Yes | 225 | 54 | 24 | |
| No | 29 | 7 | 24 | |
| Partner does not work* | | | | .320 |
| Yes | 25 | 4 | 16 | |
| No | 204 | 51 | 25 | |
| Sex | | | | .473 |
| Male | 110 | 24 | 22 | |
| Female | 148 | 38 | 26 | |
| Underrepresented minority | | | | .371 |
| Yes | 22 | 7 | 32 | |
| No | 236 | 55 | 23 | |
| Position at CRTI faculty | | | | .368 |
| Yes | 108 | 29 | 27 | |
| No | 150 | 33 | 22 | |
| Strongly agree or agree CRTI facilitated career | | | | .546 |
| Yes | 232 | 57 | 25 | |
| No | 26 | 5 | 19 | |

Table 5 provides the stratified analysis by caregiving status and gender separately. Among those without caregiving responsibilities, men had more first- or senior-author publications (median, 6.5 vs 4; $P = .001$) and more total publications (median, 16 vs 6; $P = .0001$) than women. Similarly, among those with caregiving responsibilities, men had more total publications than women (median, 10 vs 6.5; $P = .042$). When stratified by gender, among men, those with caregiving responsibilities had significantly fewer first- or senior-author publications ($P = .002$), total publications ($P = .036$), and percent effort in research ($P = .010$). Conversely, among women, those with and without caregiving responsibilities had similar first- or senior-author publications, total publications, and percent effort in research. All analyses were repeated using only participants who reported having a career in an academic setting, and the results were similar (data not shown).

Discussion

In this comprehensive evaluation of outcomes following a structured, mentored, clinical research training program, we found that having child and caregiving responsibility was significantly associated with fewer first- or senior-author publications and less percent effort in research, and that female gender was significantly associated with

fewer first- or senior-author and total publications. We also found that the gender effect persisted among those without caregiving responsibilities, suggesting that the discrepancy in academic success between women and men cannot be explained by this variable alone. In addition, caregiving significantly reduced academic productivity among men but not women.

Although we found that child and caregiving responsibility was significantly associated with reduced academic success, we did not find that participants' reported agreement that caregiving responsibilities affected their careers was associated with academic outcomes. There are several plausible explanations for this finding. First, a qualitative comment from a respondent noted that the wording of our question did not specify whether the impact of caregiving was positive or negative, and this respondent noted a positive impact of caregiving responsibilities on his or her career. Second, the sample size for the impact of caregiving question was reduced because those who did not have caregiving responsibilities were removed from this analysis. Third, parents may be reluctant to report that their children had an adverse impact on their career trajectories. We did not quantify the number of hours typically spent caregiving. This will be addressed in the next evaluation.

This analysis continues to confirm that female CRTI alumni have less academic success as measured by publication volume when compared with male CRTI alumni and provides some insight into a potential basis for this disparity. However, what we do not know is whether academic success continues to be lower among women in the long term or whether women catch up with their male counterparts later in their careers. In a single medical school, female faculty published fewer total manuscripts over the course of their careers, but after 27 years, women produced a mean of 1.57 more papers per year than men.⁶ With regard to being the principal investigator of a federal grant, the proportion of women vs men was similar, so an alternative explanation for decreased publication productivity may be that the women are more judicious about choosing which projects to invest time in. It is possible that women are focusing their writing efforts on manuscripts that are most likely to lead to the next funded grant. Another possibility is that women are less likely to request or receive middle authorship credit in multi-authored publications. There is a known bias for work submitted by male authors and for work with positive findings.⁷ Previous research demonstrated a higher acceptance rate for abstracts and manuscripts submitted with a male first-author's name in a blinded experimental review.⁸ Recently, an observational study of more than 6 million publications found that manuscripts with male first and last authors were more likely to use positive words in manuscript titles and manuscripts when compared with publications with female first and last authors.⁹ The combination of cognitive bias for male investigators' work seems to be compounded with writing styles. More long-term evaluation of CRTI data may be able to address this question and offer alternative approaches for females.

The strength of this study is the hypothesis-driven nature of the survey embedded in the evaluation of a training program. The second strength is the excellent response rate of 92% among this population who had participated in CRTI for as long as 14 years before the survey was distributed. We believe this response rate is a testament to both the alumni's commitment to ASH as an organization and, in turn, to the commitment of ASH to foster the ongoing development of its alumni.

Table 5. Number of first author, senior author, or any publications and percent effort stratified by child or caregiving responsibilities and by gender

| Category | Total no. of respondents | First- or senior-author publications | | | Any publications | | | Percent effort in research* | | |
|--|--------------------------|--------------------------------------|------|------|------------------|-------|-------|-----------------------------|---------|------|
| | | Median | IQR | P | Median | IQR | P | Median | IQR | P |
| Analysis stratified by child or caregiving responsibilities | | | | | | | | | | |
| Child or caregiving responsibilities* | 169 | | | .091 | | | .042 | | | .563 |
| Male | 73 | 3 | 2-6 | | 10 | 4-21 | | 40 | 30-50 | |
| Female | 96 | 3 | 0-6 | | 6.5 | 3-14 | | 40 | 20-67.5 | |
| No child or caregiving responsibilities* | 83 | | | .001 | | | .0001 | | | .208 |
| Male | 34 | 6.5 | 4-16 | | 16 | 10-25 | | 60 | 38-75 | |
| Female | 49 | 4 | 1-6 | | 6 | 3-12 | | 50 | 30-70 | |
| Analysis stratified by sex | | | | | | | | | | |
| Female | 145 | | | | | | | | | |
| Child or caregiving responsibilities* | | | | .149 | | | .745 | | | .134 |
| Yes | 96 | 3 | 0-6 | | 6.5 | 3-14 | | 40 | 20-67.5 | |
| No | 49 | 4 | 1-6 | | 6 | 3-12 | | 50 | 30-70 | |
| Male | 107 | | | | | | | | | |
| Child or caregiving responsibilities* | | | | .002 | | | .036 | | | .010 |
| Yes | 73 | 3 | 2-6 | | 10 | 4-21 | | 40 | 30-50 | |
| No | 34 | 6.5 | 4-16 | | 16 | 10-25 | | 60 | 38-75 | |

*Missing or not applicable as follows: percent effort in research (n = 1), child or caregiving responsibilities (n = 6).

However, this analysis must be interpreted in light of its weaknesses. First, we did not quantify the time spent in a caregiving role. In 2013, the Pew Research Center reported that mothers spent 13.5 hours per week on childcare, whereas fathers spent 7.3 hours a week in this role.¹⁰ So, although both mothers and fathers see themselves as providing care, the Pew report provided data that women typically spend more time than men preparing for reduced work hours for parenthood and take more time off to provide caregiving.¹⁰ Second, qualitative data may have been informative in trying to better understand the data, and we are planning such analyses in the future. Third, given that each class size is only 20 participants, we will always have limited power to examine questions for targeted periods and, in particular, the introduction of gender issues has been strengthened in the curriculum only recently. Thus, detecting changes in associations as the program matures will take a long time. Finally, we did not verify academic achievements by contacting institutions or by confirming grants and publications that use funding agencies' Web sites or publication databases. However, we had no reason to believe that this data would not be accurately reported in participants' CVs.

Men had more publications than women, whether or not they had caregiving responsibilities. However, among men, caregiving reduced academic productivity, whereas among women, caregiving did not have an impact. The scientific community will need to

continue to work to identify the reasons for disparities and implement changes to level the playing field for physician scientists.

Acknowledgment

This work was supported by a grant from the National Institutes of Health, National Cancer Institute (R25CA168526).

Authorship

Contribution: A.A.K. designed the research, interpreted the data, and wrote the article; S.K.V. designed the research, analyzed the data, and wrote and edited the article; E.V. and S.C. collected the data, assisted with the analysis, and edited the article; A.C. and W.S. interpreted the data and edited the article; M.H. and J.F. collected the data and edited the article; and L.S. designed the study, collected, interpreted, and analyzed the data, and wrote the article.

Conflict-of-interest disclosure: The authors declare no competing financial interests.

ORCID profiles: A.A.K., 0000-0002-1951-6176; S.K.V., 0000-0003-3448-0156; A.C., 0000-0002-3595-5697.

Correspondence: Allison A. King, Washington University School of Medicine, 4444 Forest Park Blvd, CB8505, St. Louis, MO 63108; e-mail: king_a@wustl.edu.

References

- Todd RF III, Gitlin SD, Burns LJ; Committee On Training Programs. Subspecialty training in hematology and oncology, 2003: results of a survey of training program directors conducted by the American Society of Hematology. *Blood*. 2004;103(12):4383-4388.
- Sung L, Crowther M, Byrd J, Gitlin SD, Basso J, Burns L. Challenges in measuring benefit of clinical research training programs—the ASH Clinical Research Training Institute example. *J Cancer Educ*. 2015;30(4):754-758.

3. Burns LJ, Clayton CP, George JN, Mitchell BS, Gitlin SD. The effect of an intense mentoring program on junior investigators' preparation for a patient-oriented clinical research career. *Acad Med*. 2015;90(8):1061-1066.
4. King AA, Vesely SK, Elwood J, Basso J, Carson K, Sung L. The American Society of Hematology Clinical Research Training Institute is associated with high retention in academic hematology. *Blood*. 2016;128(25):2881-2885.
5. Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture (REDCap)—a metadata-driven methodology and workflow process for providing translational research informatics support. *J Biomed Inform*. 2009;42(2):377-381.
6. Reed DA, Enders F, Lindor R, McClees M, Lindor KD. Gender differences in academic productivity and leadership appointments of physicians throughout academic careers. *Acad Med*. 2011;86(1):43-47.
7. Hopewell S, Loudon K, Clarke MJ, Oxman AD, Dickersin K. Publication bias in clinical trials due to statistical significance or direction of trial results. *Cochrane Database Syst Rev*. 2009;(1):MR000006.
8. Knobloch-Westerwick S, Glynn CJ, Hufe M. The Matilda effect in science communication: An experiment on gender bias in publication quality perceptions and collaboration interest. *Sci Commun*. 2013;35(5):603-625.
9. Lerchenmueller MJ, Sorenson O, Jena AB. Gender differences in how scientists present the importance of their research: observational study. *BMJ*. 2019;367:l6573.
10. Pew Research Center. Modern Parenthood: Roles of Moms and Dads Converge as They Balance Work and Family. Washington, DC: Pew Research Center; 2013.