

Supplemental Table 1. CD44 signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|-------------|--------------------|--------------|
| ICAM1 | 2.58 | TIMP3 | 2.44 | IL8 | 6.00 | HAS2 | 4.82 |
| LYN | 2.02 | TIMP2 | 2.39 | HAS2 | 5.35 | LYN | 2.19 |
| SOD2 | 1.79 | IGHMBP2 | 2.36 | ICAM1 | 3.51 | KHDRBS3 | 1.78 |
| CTNNB1 | 1.63 | MMP3 | 1.99 | PLAUR | 3.32 | LAMA5 | -1.55 |
| CREB1 | 1.55 | KHDRBS3 | 1.98 | LIF | 3.13 | NOTCH1 | -1.69 |
| BCAM | -1.77 | TGFA | 1.91 | LYN | 3.07 | HRAS | -1.71 |
| IGFBP5 | -1.85 | WIPF1 | 1.90 | TIMP2 | 2.92 | FASN | -1.74 |
| FASN | -2.06 | PTGES | 1.86 | MMP9 | 2.82 | | |
| | | PLAUR | 1.84 | HBEGF | 2.76 | | |
| | | CTSB | 1.83 | CXCL16 | 2.64 | | |
| | | MET | 1.76 | SLC7A11 | 2.38 | | |
| | | VANGL1 | 1.76 | MME | 2.17 | | |
| | | CD59 | 1.73 | EPCAM | 2.10 | | |
| | | FYN | 1.72 | CTSS | 2.09 | | |
| | | ANGPTL4 | 1.69 | PLAU | 2.02 | | |
| | | VCAN | 1.69 | TGFBR2 | 1.97 | | |
| | | SMAD2 | 1.56 | FAP | 1.91 | | |
| | | MAPK8 | 1.55 | SOD2 | 1.87 | | |
| | | CREB1 | 1.53 | MET | 1.86 | | |
| | | ADRB2 | 1.53 | CEACAM1 | 1.85 | | |
| | | BDKRB2 | -1.52 | TLR2 | 1.85 | | |
| | | PRKCA | -1.53 | CSF1 | 1.83 | | |
| | | C1QBP | -1.60 | TGFA | 1.73 | | |

| | | | | | |
|--|----------|--------------|--------------|--------------|--|
| | HRAS | -1.61 | BIRC3 | 1.62 | |
| | SLC9A3R1 | -1.79 | IL6 | 1.61 | |
| | LAMA5 | -1.90 | CSF2 | 1.57 | |
| | DNMT1 | -1.93 | SPP1 | 1.56 | |
| | TFRC | -2.02 | CD59 | 1.56 | |
| | FASN | -2.54 | BDKRB2 | -1.58 | |
| | EGR1 | -2.55 | SDC1 | -1.70 | |
| | PTTG1 | -3.08 | HRAS | -1.77 | |
| | IGFBP5 | -3.40 | LAMA5 | -1.78 | |
| | | | LRP1 | -1.80 | |
| | | | FASN | -1.88 | |
| | | | LDB1 | -2.00 | |
| | | | CSPG4 | -2.09 | |
| | | | NOTCH1 | -2.11 | |
| | | | BCAM | -2.29 | |
| | | | IGFBP5 | -2.55 | |

Supplemental Table 2. c-Met signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|-------------|--------------------|--------------|
| ICAM1 | 2.58 | WNT7A | 2.46 | LCN2 | 10.0 | LYN | 2.19 |
| LYN | 2.02 | TIMP3 | 2.44 | IL8 | 6.00 | SNX2 | 1.83 |
| PIK3R1 | 1.76 | TIMP2 | 2.39 | ICAM1 | 3.51 | PIK3R1 | 1.59 |
| CTNNB1 | 1.63 | MMP3 | 1.99 | PLAUR | 3.32 | CDK6 | 1.54 |
| CDK6 | 1.61 | TGFA | 1.91 | LIF | 3.13 | IRS1 | -1.66 |
| RICTOR | 1.56 | PLAUR | 1.84 | LYN | 3.07 | NOTCH1 | -1.69 |
| CREB1 | 1.55 | CDH13 | 1.80 | TIMP2 | 2.92 | HRAS | -1.71 |
| FASN | -2.06 | MET | 1.76 | MMP9 | 2.82 | FASN | -1.74 |
| | | FYN | 1.72 | HBEGF | 2.76 | FGFR3 | -2.20 |
| | | VCAN | 1.69 | WNT7A | 2.25 | | |
| | | ATF6 | 1.67 | CTSS | 2.09 | | |
| | | RICTOR | 1.59 | PLAU | 2.02 | | |
| | | SMAD2 | 1.56 | TGFBR2 | 1.97 | | |
| | | MAPK8 | 1.55 | SH3KBP1 | 1.91 | | |
| | | CREB1 | 1.53 | C1GALT1 | 1.89 | | |
| | | SH3KBP1 | 1.50 | MET | 1.86 | | |
| | | PRKCA | -1.53 | IRF1 | 1.84 | | |
| | | MIR31 | -1.55 | SNX2 | 1.82 | | |
| | | HRAS | -1.61 | TGFA | 1.73 | | |
| | | IRS1 | -1.64 | ATF6 | 1.73 | | |
| | | PLXNB1 | -1.85 | ESM1 | 1.72 | | |
| | | CASP1 | -1.87 | PIK3R1 | 1.61 | | |
| | | FASN | -2.54 | IL6 | 1.61 | | |

| | | | | | |
|--|------|--------------|--------|--------------|--|
| | EGR1 | -2.55 | CSF2 | 1.57 | |
| | | | SPP1 | 1.56 | |
| | | | MIR31 | -1.56 | |
| | | | SDC1 | -1.70 | |
| | | | HRAS | -1.77 | |
| | | | IRS1 | -1.84 | |
| | | | FASN | -1.88 | |
| | | | PLXNB1 | -1.99 | |
| | | | CSPG4 | -2.09 | |
| | | | NOTCH1 | -2.11 | |
| | | | FGFR3 | -2.72 | |

Supplemental Table 3. Notch signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|-------------|--------------------|--------------|
| ICAM1 | 2.58 | WNT7A | 2.46 | IL8 | 6.00 | CDK6 | 1.54 |
| APEX1 | 1.75 | FHL1 | 2.45 | ICAM1 | 3.51 | EFNB1 | -1.52 |
| IRAK2 | 1.72 | TIMP3 | 2.44 | PLAUR | 3.32 | ZBTB7A | -1.66 |
| CTNNB1 | 1.63 | TIMP2 | 2.39 | LIF | 3.13 | NOTCH1 | -1.69 |
| CDK6 | 1.61 | FTL | 2.21 | TIMP2 | 2.92 | HRAS | -1.71 |
| RICTOR | 1.56 | NFATC2 | 2.04 | MMP9 | 2.82 | | |
| CREB1 | 1.55 | ENO2 | 2.03 | HBEGF | 2.76 | | |
| DACH1 | -1.59 | MMP3 | 1.99 | IL1RL1 | 2.50 | | |
| LRP8 | -1.65 | TGFA | 1.91 | WNT7A | 2.25 | | |
| IGFBP5 | -1.85 | PLAUR | 1.84 | FHL1 | 2.22 | | |
| PTHLH | -2.17 | DLG1 | 1.81 | IL6ST | 2.11 | | |
| | | TP53BP2 | 1.81 | TRIB3 | 2.10 | | |
| | | MET | 1.76 | PMAIP1 | 2.04 | | |
| | | FYN | 1.72 | RIPK2 | 2.04 | | |
| | | RIPK2 | 1.68 | PLAU | 2.02 | | |
| | | RICTOR | 1.59 | TGFBR2 | 1.97 | | |
| | | SMAD2 | 1.56 | MET | 1.86 | | |
| | | MAPK8 | 1.55 | TLR2 | 1.85 | | |
| | | CREB1 | 1.53 | IRF1 | 1.84 | | |
| | | MIR31 | -1.55 | HS3ST1 | 1.83 | | |
| DACH1 | -1.56 | CSF1 | 1.83 | | | | |
| | Trib2 | -1.59 | TGFA | 1.73 | | | |
| | HRAS | -1.61 | ESM1 | 1.72 | | | |

| | | | | | |
|--|--------|--------------|--------------|--------------|--|
| | JAG2 | -1.63 | BIRC3 | 1.62 | |
| | MCM6 | -1.63 | IL6 | 1.61 | |
| | CNTN1 | -1.84 | CSF2 | 1.57 | |
| | PTHLH | -1.87 | SPP1 | 1.56 | |
| | DNMT1 | -1.93 | BMI1 | 1.53 | |
| | KAT2A | -1.95 | BMP6 | 1.51 | |
| | TFRC | -2.02 | STAT6 | -1.53 | |
| | MKI67 | -2.33 | ID3 | -1.54 | |
| | LRP8 | -2.40 | MIR31 | -1.56 | |
| | IGFBP5 | -3.40 | LRP8 | -1.63 | |
| | | | HRAS | -1.77 | |
| | | | LRP1 | -1.80 | |
| | | | JAG2 | -1.83 | |
| | | | PTHLH | -1.96 | |
| | | | NOTCH1 | -2.11 | |
| | | | HEY1 | -2.32 | |
| | | | IGFBP5 | -2.55 | |

Supplemental Table 4. Aldehyde dehydrogenase signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|-------------|-------------------|--------------|--------------------|--------------|--------------------|--------------|
| XDH | 2.06 | ALDH1A3 | 2.18 | IL8 | 6.00 | ALDH1A3 | 2.75 |
| CTNNB1 | 1.63 | SPG21 | 1.64 | ALDH1A3 | 4.18 | NOTCH1 | -1.69 |
| SPG21 | 1.57 | PSIP1 | -1.70 | EPCAM | 2.10 | | |
| | | ALDH1B1 | -2.09 | CSF2 | 1.57 | | |
| | | CBR1 | -2.22 | NOTCH1 | -2.11 | | |

Supplemental Table 5. BMI1 signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|---------------------------|--|---------------------------|--|----------------------------|--|--------------------|--------------|
| CTNNB1 1.63 | | WNT7A 2.46 | | MMP9 2.82 | | NOTCH1 | -1.69 |
| | | SMAD2 1.56 | | WNT7A 2.25 | | | |
| | | MEN1 -1.54 | | PMAIP1 2.04 | | | |
| | | DNMT1 -1.93 | | IL6 1.61 | | | |
| | | UHRF1 -2.12 | | SPP1 1.56 | | | |
| | | PLK1 -2.20 | | BMI1 1.53 | | | |
| | | MKI67 -2.33 | | NOTCH1 -2.11 | | | |
| | | PRC1 -2.37 | | | | | |
| | | EGR1 -2.55 | | | | | |

Supplemental Table 6. CD133 (PROM1) signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|--------------|--------------------|--------------|
| CTNNB1 | 1.63 | TIMP2 | 2.39 | IL8 | 6.00 | IL6R | -1.55 |
| MMP28 | 1.52 | CTSB | 1.83 | CXCL1 | 3.16 | NOTCH1 | -1.69 |
| FASN | -2.06 | MAPK8 | 1.55 | TIMP2 | 2.92 | FASN | -1.74 |
| | | SLC9A3R1 | -1.79 | MMP9 | 2.82 | | |
| | | CNTN1 | -1.84 | HBEGF | 2.76 | | |
| | | TFRC | -2.02 | EPCAM | 2.10 | | |
| | | FASN | -2.54 | IL6 | 1.61 | | |
| | | | | CSF2 | 1.57 | | |
| | | | | BMI1 | 1.53 | | |
| | | | | LRP1 | -1.80 | | |
| | | | | FASN | -1.88 | | |
| | | | | NOTCH1 | -2.11 | | |

Supplemental Table 7. NANOG signaling. Differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|--------------|--------------------|--------------|
| TOR1AIP2 | 3.50 | TOR1AIP2 | 4.27 | IL8 | 6.00 | LYN | 2.19 |
| ICAM1 | 2.58 | PMP22 | 3.32 | TOR1AIP2 | 3.75 | PMP22 | 1.95 |
| LYN | 2.02 | NFATC2 | 2.04 | ICAM1 | 3.51 | TFCP2L1 | 1.94 |
| CTNNB1 | 1.63 | TGFA | 1.91 | LIF | 3.13 | CDK6 | 1.54 |
| CDK6 | 1.61 | SEMA6A | 1.90 | LYN | 3.07 | KLF6 | -1.54 |
| DACH1 | -1.59 | MET | 1.76 | PMP22 | 3.02 | ARID3A | -1.57 |
| IGFBP5 | -1.85 | SMAD2 | 1.56 | MMP9 | 2.82 | NOTCH1 | -1.69 |
| | | DACH1 | -1.56 | IL6ST | 2.11 | | |
| | | JAG2 | -1.63 | EPCAM | 2.10 | | |
| | | DNMT1 | -1.93 | TGFBR2 | 1.97 | | |
| | | IGFBP5 | -3.40 | MET | 1.86 | | |
| | | | | TGFA | 1.73 | | |
| | | | | IL6 | 1.61 | | |
| | | | | BMI1 | 1.53 | | |
| | | | | BMP6 | 1.51 | | |
| | | | | JAG2 | -1.83 | | |
| | | | | LDB1 | -2.00 | | |
| | | | | NOTCH1 | -2.11 | | |
| | | | | IGFBP5 | -2.55 | | |

Supplemental Table 8. POU5F1 (Oct3/4) signaling. Genes differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|--------------|--------------------|--------------|
| TOR1AIP2 | 3.50 | TOR1AIP2 | 4.27 | IL8 | 6.00 | IGFBP7 | 2.21 |
| ICAM1 | 2.58 | NFATC2 | 2.04 | TOR1AIP2 | 3.75 | TFCP2L1 | 1.94 |
| CTNNB1 | 1.63 | IGFBP7 | 1.96 | ICAM1 | 3.51 | IL32 | 1.89 |
| CDK6 | 1.61 | TGFA | 1.91 | LIF | 3.13 | CDK6 | 1.54 |
| KPNA1 | 1.55 | SEMA6A | 1.90 | MMP9 | 2.82 | ARID3A | -1.57 |
| PPIA | 1.54 | GADD45A | 1.85 | HBEGF | 2.76 | IRS1 | -1.66 |
| DACH1 | -1.59 | MET | 1.76 | IL32 | 2.67 | NOTCH1 | -1.69 |
| | | JMJD1C | 1.63 | IGFBP7 | 2.37 | AHCY | -1.71 |
| | | SMAD2 | 1.56 | IL6ST | 2.11 | | |
| | | MAPK8 | 1.55 | EPCAM | 2.10 | | |
| | | DACH1 | -1.56 | TGFBR2 | 1.97 | | |
| | | JAG2 | -1.63 | MET | 1.86 | | |
| | | IRS1 | -1.64 | TGFA | 1.73 | | |
| | | DNMT1 | -1.93 | GADD45A | 1.62 | | |
| | | MKI67 | -2.33 | IL6 | 1.61 | | |
| | | | | CSF2 | 1.57 | | |
| | | | | SPP1 | 1.56 | | |
| | | | | BMI1 | 1.53 | | |
| | | | | JAG2 | -1.83 | | |
| | | | | IRS1 | -1.84 | | |
| | | | | LDB1 | -2.00 | | |
| | | | | NOTCH1 | -2.11 | | |

Supplemental Table 9. SOX2 signaling. Genes differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|--------------|--------------------|--------------|--------------------|--------------|
| ICAM1 | 2.58 | MMP3 | 1.99 | IL8 | 6.00 | TFCP2L1 | 1.94 |
| CTNNB1 | 1.63 | TGFA | 1.91 | ICAM1 | 3.51 | ARID3A | -1.57 |
| KPNA1 | 1.55 | SEMA6A | 1.90 | LIF | 3.13 | NOTCH1 | -1.69 |
| DACH1 | -1.59 | SMURF1 | 1.80 | MMP9 | 2.82 | | |
| | | HDAC9 | 1.79 | HDAC9 | 2.19 | | |
| | | MET | 1.76 | EPCAM | 2.10 | | |
| | | SMAD2 | 1.56 | TGFBR2 | 1.97 | | |
| | | MAPK8 | 1.55 | MET | 1.86 | | |
| | | SRRT | -1.51 | TGFA | 1.73 | | |
| | | DACH1 | -1.56 | SPP1 | 1.56 | | |
| | | PLK1 | -2.20 | BMI1 | 1.53 | | |
| | | MKI67 | -2.33 | BMP6 | 1.51 | | |
| | | PTTG1 | -3.08 | STAT6 | -1.53 | | |
| | | | | NOTCH1 | -2.11 | | |
| | | | | HEY1 | -2.32 | | |

Supplemental Table 10. Epithelial to mesenchymal transition (EMT) related signaling. Genes differentially expressed ($p \leq 0.01$ and 1.5-fold) at a minimum of one time point in UT14 xenografts after radiation. Bold is upregulated after XRT; red, downregulated.

| Day 4 vs Controls | | Day 7 vs Controls | | Day 12 vs Controls | | Day 21 vs Controls | |
|-------------------|--------------|-------------------|-------------|--------------------|-------------|--------------------|--------------|
| C3 | 6.77 | TIMP3 | 2.44 | LCN2 | 10.0 | C3 | 5.02 |
| ICAM1 | 2.58 | TIMP2 | 2.39 | C3 | 6.38 | HAS2 | 4.82 |
| XDH | 2.06 | DAB2 | 2.12 | IL8 | 6.00 | DAB2 | 2.29 |
| LYN | 2.02 | NFATC2 | 2.04 | HAS2 | 5.35 | LYN | 2.19 |
| SOD2 | 1.79 | MMP3 | 1.99 | CEACAM6 | 4.80 | CDH11 | 1.85 |
| DAB2 | 1.77 | TGFA | 1.91 | DAB2 | 4.24 | CDK6 | 1.54 |
| CTNNB1 | 1.63 | PTGES | 1.86 | ICAM1 | 3.51 | KLF6 | -1.54 |
| CDK6 | 1.61 | GADD45A | 1.85 | PLAUR | 3.32 | IL6R | -1.55 |
| RICTOR | 1.56 | PLAUR | 1.84 | LIF | 3.13 | MTSS1 | -1.57 |
| CREB1 | 1.55 | CDH13 | 1.80 | LYN | 3.07 | PVRL1 | -1.59 |
| CCNG1 | 1.55 | SMURF1 | 1.80 | TIMP2 | 2.92 | ZBTB7A | -1.66 |
| ZFPM2 | -1.59 | BCAR3 | 1.80 | MMP9 | 2.82 | IRS1 | -1.66 |
| IGFBP5 | -1.85 | MET | 1.76 | HBEGF | 2.76 | NOTCH1 | -1.69 |
| FASN | -2.06 | FYN | 1.72 | CXCL16 | 2.64 | HRAS | -1.71 |
| PTHLH | -2.17 | TRAF6 | 1.70 | MME | 2.17 | FASN | -1.74 |
| | | ANGPTL4 | 1.69 | TRIB3 | 2.10 | TNS4 | -1.76 |
| | | VCAN | 1.69 | EPCAM | 2.10 | | |
| | | RICTOR | 1.59 | PMEPA1 | 2.05 | | |
| | | GALNT3 | 1.56 | PLAU | 2.02 | | |
| | | SMAD2 | 1.56 | SEMA7A | 1.99 | | |
| | | NRAS | 1.55 | TGFBR2 | 1.97 | | |
| | | MAPK8 | 1.55 | FAP | 1.91 | | |
| | | CREB1 | 1.53 | SOD2 | 1.87 | | |

| | | | | | |
|--|--------------|-------------|----------------|-------------|--|
| | ADRB2 | 1.53 | MET | 1.86 | |
| | MIR31 | -1.55 | CEACAM1 | 1.85 | |
| | HRAS | -1.61 | CDH11 | 1.83 | |
| | JAG2 | -1.63 | GDF15 | 1.82 | |
| | IRS1 | -1.64 | TGFA | 1.73 | |
| | SLC9A3R1 | -1.79 | ESM1 | 1.72 | |
| | PTHLH | -1.87 | STC2 | 1.71 | |
| | DNMT1 | -1.93 | BCAR3 | 1.66 | |
| | UHRF1 | -2.12 | GADD45A | 1.62 | |
| | CBR1 | -2.22 | IL6 | 1.61 | |
| | FASN | -2.54 | TRAF6 | 1.58 | |
| | EGR1 | -2.55 | CSF2 | 1.57 | |
| | PTTG1 | -3.08 | SPP1 | 1.56 | |
| | IGFBP5 | -3.40 | BMI1 | 1.53 | |
| | | | BMP6 | 1.51 | |
| | | | ID3 | -1.54 | |
| | | | MIR31 | -1.56 | |
| | | | MTSS1 | -1.58 | |
| | | | IDH2 | -1.58 | |
| | | | SEMA4C | -1.61 | |
| | | | PVRL1 | -1.66 | |
| | | | MAP3K4 | -1.68 | |
| | | | SDC1 | -1.70 | |
| | | | HRAS | -1.77 | |
| | | | JAG2 | -1.83 | |
| | | | IRS1 | -1.84 | |
| | | | FASN | -1.88 | |
| | | | PTHLH | -1.96 | |

| | | | | |
|--|--|--------|-------|--|
| | | CSPG4 | -2.09 | |
| | | NOTCH1 | -2.11 | |
| | | PTPRZ1 | -2.12 | |
| | | HEY1 | -2.32 | |
| | | IGFBP5 | -2.55 | |