

SCIENTIFIC REPORTS

OPEN

Author Correction: Fourier Transform Infrared Microscopy Enables Guidance of Automated Mass Spectrometry Imaging to Predefined Tissue Morphologies

Jan-Hinrich Rabe^{1,2}, Denis A. Sammour^{1,2}, Sandra Schulz^{1,2}, Bogdan Munteanu^{1,2}, Martina Ott³, Katharina Ochs^{3,6}, Peter Hohenberger⁴, Alexander Marx⁴, Michael Platten^{3,4}, Christiane A. Opitz^{5,6}, Daniel S. Ory⁷ & Carsten Hopf^{1,2}

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-017-18477-6>, published online 10 January 2018

In the original version of this Article, Katharina Ochs was incorrectly affiliated with:

German Cancer Consortium (DKTK) CCU Neuroimmunology and Brain Tumor Immunology, German Cancer Research Center (DKFZ), Heidelberg, Germany.

and

Brain Cancer Metabolism Group, German Cancer Research Center (DKFZ), Heidelberg, Germany.

The correct affiliations are below.

German Cancer Consortium (DKTK) CCU Neuroimmunology and Brain Tumor Immunology, German Cancer Research Center (DKFZ), Heidelberg, Germany.

and

Department of Neurology and National Center of Tumor Diseases, University Hospital Heidelberg, Heidelberg, Germany.

¹Center for Applied Research in Applied Biomedical Mass Spectrometry (ABIMAS), Mannheim University of Applied Sciences, Paul-Wittsack Str. 10, 68163, Mannheim, Germany. ²Institute of Medical Technology, Heidelberg University and Mannheim University of Applied Sciences, Paul-Wittsack Str. 10, 68163, Mannheim, Germany. ³German Cancer Consortium (DKTK) CCU Neuroimmunology and Brain Tumor Immunology, German Cancer Research Center (DKFZ), Heidelberg, Germany. ⁴University Medical Center Mannheim of Heidelberg University, Mannheim, Germany. ⁵Brain Cancer Metabolism Group, German Cancer Research Center (DKFZ), Heidelberg, Germany. ⁶Department of Neurology and National Center of Tumor Diseases, University Hospital Heidelberg, Heidelberg, Germany. ⁷Diabetic Cardiovascular Disease Center and Department of Medicine, Washington University School of Medicine, St. Louis, Missouri, 63110, USA. Correspondence and requests for materials should be addressed to C.H. (email: carsten.hopf@medtech.uni-heidelberg.de)

Published online: 18 April 2018



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018